




MOORING & DOCKING
QUALITY FIRST, CUSTOMERS FIRST


Anchor 锚

AISI 316 STAINLESS STEEL BRUCE ANCHOR




Code	A mm	B mm	C mm	D mm	Weight kg
H81005	215	90	145	105	0.5
H81010	265	110	183	130	1
H81020	350	150	220	175	2
H81025	400	160	220	200	2.5
H81030	410	170	235	200	3
H81035	435	170	235	220	3.5
H81040	435	180	285	230	4
H81050	470	190	310	270	5
H81075	530	210	360	290	7.5
H81100	600	228	380	320	10
H81120	600	235	435	350	12
H81130	600	235	435	350	13
H81150	670	265	450	360	15
H81200	715	360	470	390	20
H81250	735	360	515	410	25
H81300	815	360	550	460	30
H81400	935	370	660	460	40
H81500	1000	395	675	500	50
H81800	1074	528	700	547	80
H81000	1134	635	772	558	100

AISI 316 STAINLESS STEEL PLOUGH ANCHOR




Code	A mm	B mm	C mm	D mm	Weight kg
H82050	510	340	260	220	5
H82070	560	380	270	230	7
H82090	600	375	280	250	9
H82100	620	400	290	270	10
H82120	660	430	340	300	12
H82150	730	360	360	330	15
H82200	740	550	370	360	20
H82220	750	550	370	390	22
H82270	780	600	460	360	27
H82340	800	630	480	360	34
H82350	820	640	490	380	35
H82500	950	750	540	440	50

AISI 316 STAINLESS STEEL DELTA ANCHOR




Code	A mm	B mm	C mm	Weight kg
H83050	550	240	210	5
H83080	610	250	240	8
H83100	660	280	275	10
H83150	720	335	310	15
H83200	860	385	355	20
H83300	970	420	370	30
H83400	1100	500	490	40
H83500	1200	550	540	50

AISI 316 STAINLESS STEEL DANFORTH ANCHOR



Code	A mm	B mm	C mm	Weight kg
H84050	510	430	330	5
H84055	540	450	330	5.5
H84060	590	460	340	6
H84065	630	470	340	6.5
H84080	650	480	350	8
H84090	670	500	370	9
H84100	750	520	420	10
H84120	830	540	430	12
H84150	880	600	455	15
H84200	960	650	520	20
H84300	1100	830	590	30
H84400	1100	900	670	40
H84500	1150	910	685	50
H84680	1300	950	750	68
H84800	1350	1000	765	80
H841000	1500	1200	950	100

AISI 316 STAINLESS STEEL GRAPNEL ANCHOR



Code	A mm	B mm	C mm	Weight kg
H85007	200	90	47	0.7
H85015	302	135	54	1.5
H85025	355	156	59	2.5
H85032	395	174	73	3.2
H85040	460	200	76	4
H85050	470	210	80	5
H85060	523	222	85	6
H85070	530	230	90	7
H85080	600	240	90	8
H85100	655	260	102	10
H85120	840	326	102	12

HOT DIP GALVANIZED BRUCE ANCHOR



Code	Weight kg
H31010	1
H31020	2
H31035	3.5
H31050	5
H31075	7.5
H31100	10
H31150	15
H31200	20
H31300	30
H31500	50

HOT DIP GALVANIZED PLOUGH ANCHOR



Code	Weight kg
H32050	5
H32070	7
H32090	9
H32120	12
H32150	15
H32160	16
H32200	20
H32220	22
H32240	24
H32270	27
H32350	35

HOT DIP GALVANIZED DELTA ANCHOR



Code	Weight kg
H33005	0.5
H33010	1
H33020	2
H33040	4
H33060	6
H33075	7.5
H33100	10
H33160	16
H33200	20
H33250	25
H33320	32
H33400	40
H33500	50
H33630	63

WATER INK PENETRATION DELTA ANCHOR



NEW

Code	Weight kg
H33060	6
H33075	7.5
H33100	10
H33160	16
H33200	20
H33250	25
H33320	32
H33400	40
H33500	50
H33630	63

HOT DIP GALVANIZED DANFORTH ANCHOR US TYPE



Code	Weight lb
H35040	4
H35060	6
H35080	8
H35130	13
H35140	14
H35180	18
H35220	22
H35250	25
H35265	26.5
H35330	33
H35400	40
H35700	70

HOT DIP GALVANIZED GRAPNEL ANCHOR TYPE A



Code	Weight kg
H35015	1.5
H35025	2.5
H35032	3.2
H35040	4
H35060	6
H35080	8

HOT DIP GALVANIZED GRAPNEL ANCHOR TYPE B



Code	Weight kg
H36007	0.7
H36014	1.4
H36023	2.3
H36035	3.5
H36055	5.5
H36075	7.5
H36100	10
H36120	12
H36150	15

HOT DIP GALVANIZED HALL ANCHOR



Code	Weight kg
H37020	2
H37030	3
H37040	4
H37060	6
H37080	8
H37100	10

BLACK PAINTED HALL ANCHOR



Code	Weight kg
H38050	5
H38100	10
H38150	15
H38200	20
H38250	25
H38300	30

PVC COATED MUSHROOM ANCHOR



Code	Weight lb
H39080	8
H390100	10
H390120	12
H390150	15



World Made Limited

Windlass & Accessory

起锚机及配件



Max. working load (kgs/lbs): 180/400
 Max. pulling power (kgs/lbs): 540/1200
 Max. line speed (m/min)/(ft/min): 35/115
 Weight (kgs/lbs): 14/31
 Alt. 1-Chain (DIN766): 6mm
 Alt. 2-Chain/Rope (DIN 766-HT G4): 6mm-1/4"
 Alt. 3-Chain/Rope (DIN 766-HT G4): 8mm-5/16"
 Alt. 2-rope (mm-Inches): 12mm-1/2"
 Alt. 3-rope (mm-Inches): 14mm-9/16"
 With control units: Solenoids; Circuit breaker;
 Switch panel; Foot switch.
 Suitable for boats from 20ft to 35ft

AISI 316 STAINLESS STEEL

Code	Motor (W)	Voltage (V)	Current draw (A)
HW03A	600	12	20
HW03B	900	12	35



Max. working load (kgs/lbs): 150/330
 Max. pulling power (kgs/lbs): 450/990
 Max. line speed (m/min)/(ft/min): 26/85
 Weight (kgs/lbs): 9/20
 Alt. 1-Chain (DIN766): 6mm
 Alt. 2-Chain/Rope (DIN 766-HT G4): 6mm-1/4"
 Alt. 2-rope (mm-Inches): 12mm-1/2"
 With control units: Solenoids; Circuit breaker;
 Switch panel; Foot switch.
 Suitable for boats from 20ft to 35ft

AISI 316 STAINLESS STEEL

Code	Motor (W)	Voltage (V)	Current draw (A)
HW06A	600	12	33
HW06B	900	12	55



Max. working load (kgs/lbs): 150/330
 Max. pulling power(kgs/lbs): 450/990
 Max. line speed (m/min)/(ft/min): 26/85
 Weight (kgs/lbs): 10/22
 Alt. 1-Chain (DIN766): 6mm
 Alt. 2-Chain/Rope (DIN 766-HT G4): 6mm-1/4"
 Alt. 2-rope (mm-Inches): 12mm-1/2"
 With control units: Solenoids; Circuit breaker;
 Switch panel; Foot switch.
 Suitable for boats from 20ft to 35ft

AISI 316 STAINLESS STEEL

Code	Motor (W)	Voltage (V)	Current draw (A)
HW07A	600	12	33
HW07B	900	12	55



Round type
 Max. working load (kgs/lbs): 150/330
 Max. pulling power (kgs/lbs): 450/990
 Max. line speed (m/min)/(ft/min): 26/85
 Weight (kgs/lbs): 8/17.6
 Alt. 1-Chain (DIN766): 6mm
 Alt. 2-Chain (DIN 766-HT G4): 6mm-1/4"
 With control units: Solenoids; Circuit breaker;
 Switch panel; Foot switch.
 Suitable for boats from 20ft to 35ft

AISI 316 STAINLESS STEEL

Code	Motor (W)	Voltage (V)	Current draw (A)
HW12A	600	12	33
HW12B	900	12	55



Round type
 Max. working load (kgs/lbs): 150/330
 Max. pulling power (kgs/lbs): 450/990
 Max. line speed (m/min)/(ft/min): 26/85
 Weight (kgs/lbs): 10/22
 Alt. 1-Chain (DIN766): 6mm
 Alt. 2-Chain (DIN 766-HT G4): 6mm-1/4"
 Rope (mm-Inches): 12mm-1/2"
 With control units: Solenoids; Circuit breaker;
 Switch panel; Foot switch.
 Suitable for boats from 20ft to 35ft

AISI 316 STAINLESS STEEL

Code	Motor (W)	Voltage (V)	Current draw (A)
HW13A	600	12	33
HW23B	900	12	55

Chain

链条


AISI 316 STAINLESS STEEL ANCHOR CHAIN LOCK

Code	Chain Size mm
H050603	6-8
H050604	8-10



AISI316 CHAIN STOPPER

Code	L mm	B mm	H mm	Size mm
H50703	60	55	50	6-8
H50704	80	70	60	8-10



NEW



Code	Dia mm.	PxW mm.	Breaking load kn.
H40203	3	26x12	3.2
H40204	4	32x16	6
H40205	5	35x20	10
H40206	6	42x24	14
H40207	7	49x24	18
H40208	8	52x32	25
H40209	9	59x36	32
H40210	10	65x40	40
H40211	11	72x44	47.5
H40212	12	78x48	56.5
H40213	13	82x52	63
H40216	16	100x64	100

DIN763 CHAINS



Code	Dia mm.	PxW mm.	Breaking load kn.
H41103	3	16x11	4.1
H41104	4	16x13.7	8
H41105	5	18.5x17	12.5
H41106	6	18.5x20.2	16
H41107	7	22x23.8	25
H41108	8	24x27.2	32
H41109	9	27x30.6	40
H41110s	10	28x34	50
H41110	10	30x34	50
H41111	11	31x37.4	63
H41112	12	34x40.8	66
H41113	13	36x44.2	80
H41114	14	41x47.5	100
H41116	16	45x54.4	125

DIN766 CHAINS




Code	Dia mm.	PxW mm.	Breaking load kn.
H40303	3	26x12	2.8
H40304	4	19x16	5
H40305	5	21x20	7.75
H40306	6	24x24	11.5
H40307	7	28x28	15
H40308	8	32x32	20
H40309	9	36x36	25
H40310	10	40x40	31
H40311	11	44x44	38
H40312	12	48x48	45
H40313	13	52x52	53

DIN5685 CHAINS




AUSTRALIAN SHORT LINK CHAIN IN 500KG DRUM

Code	Dia mm.	SxRx F mm.	Breaking load kn.
H40606	6	6.3x18.9x21.5	0.32
H40608	8	8x24x27.5	0.53
H40610	10	10x29.5x33.5	0.83
H40612	12	12.5x37.5x40.6	1.50
H40616	16	16x47x54	2.31




Anchor Connector 锚链接器

AISI 316 STAINLESS STEEL ANCHOR CONNECTOR




Code	L3 mm	W1 mm	W2 mm	Chain Size mm
H0901A	90.3	15	10	6-8
H0901B	113.7	18	12.6	8-10

AISI 316 STAINLESS STEEL ANCHOR CONNECTOR




Code	L3 mm	W1 mm	W2 mm	Chain Size mm
H0902A	90	14.8	10	6-8
H0902B	115	17.8	13	8-10
H0902C	138	28	16.1	10-12

AISI 316 STAINLESS STEEL ANCHOR CONNECTOR




Code	L3 mm	W1 mm	W2 mm	Chain Size mm
H0903A	118	14.5	10	6-8
H0903B	165	17.8	13.1	8-10

AISI 316 STAINLESS STEEL ANCHOR CONNECTOR



Code	L mm	W mm	Chain Size mm
H0902D	84	15	6-8

AISI 316 STAINLESS STEEL ANCHOR CONNECTOR



Code	L mm	W mm	Chain Size mm
H0903C	134	15	6-8

AISI 316 STAINLESS STEEL ANCHOR CONNECTOR




Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	D mm	Chain Size mm
H050810	9.3	20.8	220	11	11	27	7.7	6-8
H050812	14	23	300	13	13	36	10.7	8-10

Bow Roller 锚支架


AISI 316 STAINLESS STEEL BOW ROLLER FOR BRUCE ANCHOR

Code	For anchors kg	For chain mm	Length mm	Height mm
H04201	10	6/8	380	196
H04202	15	8/10	480	240
H04203	20	10/12	590	235
H04204	30	10/12	590	240




AISI 316 STAINLESS STEEL BOW ROLLER FOR DELTA ANCHOR

Code	For anchors kg	Length mm	Height mm
H04208	6/10	620	83
H04211	16/25	670	85



AISI 316 STAINLESS STEEL BOW ROLLER

Code	For anchors kg	For chain mm	Height mm	Length mm	Width mm
H4214	12	6/8	62	410	85
H4216	15	8/10	88	530	102




AISI 316 STAINLESS STEEL BOW ROLLER FOR INFLATABLES

Code	Size mm
H04215	160x62




AISI 316 STAINLESS STEEL BOW ROLLER FOR DELTA ANCHOR

Code	For anchors kg	Height mm	Size mm
H04217	8	70	328x96
H04220	13	100	430x160




AISI 316 STAINLESS STEEL BOW ROLLER

Code	Length mm	Height mm
H05000	205	155



AISI 316 STAINLESS STEEL BOW ROLLER

Code	Length mm	Height mm
H05001	340	160





World Made Limited

AISI 316 STAINLESS STEEL BOW ROLLER FOR INFLATABLES



Code	Size mm
H04213	185x210

AISI 316 STAINLESS STEEL BOW ROLLER



Code	For anchors kg	Length mm	Width mm
H4234	7.5-15	420	76
H4235	10-20	600	76
H4236	30-40	725	90
H4237	50-60	890	100

AISI 316 STAINLESS STEEL BOW ROLLER



Code	Length mm	Width mm
H0001	570	110

SELFLAUNCHING BOW ROLLERS



Code	Length mm	Width mm	Anchor Size
H4242	420/16.5"	76/3"	7.5-15kg,16.5-33lbs

SELFLAUNCHING BOW ROLLERS



Code	Length mm	Width mm	Anchor Size
H4256	600/23.2"	76/3"	10-20kg,22-44lbs

SELFLAUNCHING BOW ROLLERS



Code	Length mm	Width mm	Anchor Size
H4275	750/29.5"	90/3.5"	15-30kg,33-66lbs

SELFLAUNCHING BOW ROLLERS



Code	Length mm	Width mm	Anchor Size
H4295	950/37.4"	95/3.7"	30-50kg,66-100lbs

AISI 316 STAINLESS STEEL SINGLE WHEEL ROLLER



Code	Length mm	Width mm
H0003	155	51

AISI 316 STAINLESS STEEL BOW ROLLER WITH ANCHOR BLOCKING DEVICE

Code	Length mm	Width mm
H0004	230	55



AISI 316 STAINLESS STEEL BOW ROLLER WITH ANCHOR BLOCKING DEVICE

Code	Length mm	Width mm
H0005	250	47



AISI 316 STAINLESS STEEL BOW ROLLER

Code	Length mm	Width mm
H0006	55	68



AISI 316 STAINLESS STEEL BOW ROLLER

Code	Length mm	Width mm
H0007	200	97



AISI 316 STAINLESS STEEL BOW ROLLER

Code	Length mm	Width mm
H0008	156	50



AISI 316 STAINLESS STEEL BOW ROLLER

Code	Length mm	Width mm
H0009	160	87



AISI 316 STAINLESS STEEL BOW ROLLER

Code	Length mm	Width mm
H0010	390	50
H0011	590	100
H0012	455	87





World Made Limited

船用五金


MARINE HARDWARE

QUALITY FIRST, CUSTOMERS FIRST




Bollard & Fairlead 系统桩和导缆轮

AISI 316 STAINLESS STEEL BOLLARD SINGLE




Code	L mm	W mm	H mm
H8100A	60	60	60

AISI 316 STAINLESS STEEL BOLLARD DOUBLE



Code	L mm	W mm	H mm
H8100B	120	60	60

AISI 316 STAINLESS STEEL BOLLARD



Code	L mm	W mm	H mm
H32120	120	95	120
H32150	150	120	150

AISI 316 STAINLESS STEEL BOLLARD



Code	L mm	W mm	H mm
H0501A	150	60	62
H0502A	200	70	77
H0503A	250	80	91
H0504A	300	90	109

AISI 316 STAINLESS STEEL SLOTTED BOLLARD



Code	L mm	W mm	H mm
H9000	61	61	86

AISI 316 STAINLESS STEEL FAIRLEAD FOR WINDLASS CHAIN AND PIPE



Code	Length mm	Size mm
H04209	130	90x90

AISI 316 STAINLESS STEEL FAIRLEAD ROLLER




Code	L mm	W mm
H146226	340	160

AISI 316 STAINLESS STEEL FAIRLEAD ROLLER




Code	L mm	W mm	H mm	Rope Size mm
H34205	205	40	55	16/22
H34260	260	45	75	24/30



AISI 316 STAINLESS STEEL HAWSE PIPE



Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	H1 mm	H2 mm
H0800A	103	95	138	47	38	61	23	28
H0800C	188	175	237	88	75	136	24.6	30.6




AISI 316 STAINLESS STEEL HAWSE PIPE



Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	H1 mm	H2 mm
H0800B	128	120	151	58	50	81	30.7	37.2


Cleat 索柱

AISI 316 STAINLESS STEEL HOLLOW BASE CLEAT




Code	L1 mm	L2 mm	W1 mm	W2 mm	H mm
H0002A	100	48	36	22	25
H0002B	125	54	39	25	27
H0003A	150	56	44	26	31
H0005C	200	75	50.9	28	41
H0006C	250	95	65	44	50
H0007D	300	98	70	48	52
H0007E	375	113	78	52	56

AISI 316 STAINLESS STEEL HOLLOW BASE CLEAT HEAVY DUTY




Code	L1 mm	L2 mm	W1 mm	W2 mm	H mm
H0002C	100	50.6	36.6	22.7	26.5
H0002D	125	56.4	38	25	29.1
H0003B	150	57	43	26	31
H0005D	200	72.7	54.6	32.2	38
H0006D	250	94.5	66	46.8	44
H0007C	300	98.5	71	49	53

AISI 316 STAINLESS STEEL SILHOUETTE CLEAT




Code	L1 mm	L2 mm	W1 mm	W2 mm	H mm
H0004A	100	29	36	24	25
H0004B	125	41	46	29	25
H0004C	150	40	56	39	28
H0004D	200	49	62	44	31
H0004E	250	57	64	45	40

AISI 316 STAINLESS STEEL MAST CLEAT




Code	L mm	W mm	H mm
H0009A	100	13	30
H0009B	125	17	35.5
H0009C	150	19	39.5
H0009D	200	23	45.2
H0009E	250	24.2	47.7

AISI 316 STAINLESS STEEL MAST CLEAT




Code	L1 mm	L2 mm	W mm	H mm
H33150	150	118	19	53
H33205	205	137	34	56
H33265	265	150	40	68
H33310	310	175	50	78
H33311W	310	175	100	78

AISI 316 STAINLESS STEEL HUMPBACKED CLEAT




Code	L1 mm	L2 mm	W mm	H mm
H35150	150	63.5	18	45
H35200	200	84	22.5	45
H35250	250	106.4	28.3	45

AISI 316 STAINLESS STEEL HUMPBACKED CLEAT




Code	L1 mm	L2 mm	W mm	H mm
H34150	150	46.1	15.6	47.3
H34200	200	58.2	20	47.3
H34250	250	74.6	24.5	47.3

HOLLOW BASE FLAT CLEAT




Code	Length
H1001	6"
H1002	8"
H1003	10"

AISI 316 STAINLESS STEEL CLEAT




Code	L mm	W mm	H mm
H1210	125	31	51.5
H1211	150	31	61.5
H1212	200	46	86.5
H1213	250	58	104
H1214	300	70	106

AISI 316 STAINLESS STEEL CLEAT



Code	L mm	W mm	H mm
H0003D	125	26	50
H0005E	150	45	62

AISI 316 STAINLESS STEEL CLEAT



Code	L mm	W mm	H1 mm	H2 mm
H0003E	125	26	44	45
H0003F	150	45	56	45



World Made Limited

AISI 316 STAINLESS STEEL CLEAT




Code	L mm	H mm
H32180	180	30
H32240	240	43
H32300	300	60
H32350	350	75

AISI 316 STAINLESS STEEL CLEAT



Code	L mm	H mm
H2252	220	52
H2258	260	58
H2265	300	65

AISI 316 STAINLESS STEEL CLEAT MODEL "SAIL"



Code	Length mm.	H mm.	On center mm.
H2280	220	52	60
H2270	260	58	70
H2281	300	65	81

AISI 316 STAINLESS STEEL CLEAT K



Code	L mm	H mm
H37215	215	47.5

AISI 316 STAINLESS STEEL CLEAT



Code	L mm
H0007A	155


AISI 316 STAINLESS STEEL CLEAT



Code	L mm
H0003C	150

AISI 316 STAINLESS STEEL CLEAT

NEW



Code	L mm
H1410	96

AISI 316 STAINLESS STEEL CLEAT

Code	L mm
H1411	150



AISI 316 STAINLESS STEEL RING CLEAT COMBI




Code	L mm	D mm	H mm
H0008A	175	62	68

AISI 316 STAINLESS STEEL CLEAT



Code	L mm
H0006A	295

PULL OUT FLAT CLEAT




NEW

Code	L mm	H mm
H1412	200	70



FOLDING CLEAT




NEW

Code	L mm	B mm	H mm
H1511	155	54	135
H1512	200	73	150



FOLDING CLEAT WITH THREAD

NEW



Code	L mm	B mm	H mm	GW
H1611	155	54	135	M10
H1612	200	73	150	M10


AISI 316 STAINLESS STEEL CLEAT

NEW



Code	B mm	C mm	D mm	E mm
H98283	200	100	254	55

AISI 316 STAINLESS STEEL MAST CLEAT



Code	Dia mm.
H0002E	6"
H0002F	4-1/2"

AISI 316 STAINLESS STEEL CLEAT




Code	Length
H0005A	6"

AISI 316 STAINLESS STEEL CLEAT



Code	Length
H0007B	6-1/5"


AISI 316 STAINLESS STEEL REINFORCEMENT FOR CLEAT MODEL "DUNE"



Code	Size	Suitable for cleat
H2585	25x65	34150
H3590	35x90	34200
H5010	50x110	34250
H6014	60x140	

AISI 316 STAINLESS STEEL CLEAT INOX FOR ROPES

Code	Length mm	Width mm
H1221	48	15




AISI 316 STAINLESS STEEL CLEAT INOX FOR ROPES

Code	Length mm	Width mm
H1222	53.3	15



AISI 316 STAINLESS STEEL CLEAT INOX FOR ROPES

Code	Length mm	Width mm
H1223	70	17
H1224	81	16



Chock 导缆器

AISI 316 STAINLESS STEEL HEAVY DUTY STRAIGHT CHOCK

Code	L mm
H1035	146



AISI 316 STAINLESS STEEL HEAVY DUTY STRAIGHT CHOCK

Code	L mm
H1036	146



AISI 316 STAINLESS STEEL TRIANGLE BOW CHOCK

Code	L mm	W mm
H1039	107	65






World Made Limited

AISI 316 STAINLESS STEEL BOW CHOCKS



Code	L mm	W mm
H0014A	100	19
H0014B	125	19
H0014C	150	22
H0014D	200	38
H0014E	250	44

AISI 316 STAINLESS STEEL BOW CHOCK




Code	L mm	W mm
H0011B	150	35
H0011C	200	38
H0011D	250	44

AISI 316 STAINLESS STEEL BOW CHOCK



Code	L mm	W mm
H0012A	114	19
H0012B	150	22

AISI 316 STAINLESS STEEL BOW CHOCK




Code	L mm	W mm
H0013A	114	19
H0013B	150	22
H0013C	200	38

AISI 316 STAINLESS STEEL BOW CHOCK



Code	L mm	W mm
H0010A	114	19
H0011A	150	26

AISI 316 STAINLESS STEEL BOW CHOCK



Code	L mm
H01240	114
H01241	150

Handle 扶手

AISI 316 STAINLESS STEEL HANDRAIL

Code	Dia. Of Pipe mm	Length mm
H30150	25	300
H30152	25	400
H30154	25	500
H30155	25	600



AISI 316 STAINLESS STEEL HANDRAIL WITH ROUND BASE

Code	Dia. Of Pipe mm	Length mm
H30160	22	200
H30162	22	300
H30163	22	400
H30164	22	500
H30165	22	600
H30166	22	800
H30170	22	1000



AISI 316 STAINLESS STEEL HANDRAIL WITH OVAL BASE

Code	Dia. Of Pipe mm	Length mm
H31160	22	200
H31162	22	300
H31163	22	400
H31164	22	500
H31165	22	600
H31166	22	800



S.S HEAVY DUTY OVAL HANDRAIL W/FLANGE & STUD

Made of 304 Stainless Steel

Code	Stud to stud Distance	Oval Tube
H02561	304.8	25.4x18.8
H02562	406.8	25.4x18.8
H02563	457.2	25.4x18.8
H02564	609.6	25.4x18.8
H02565	219.1	25.4x18.8



Code	Length	Tube Size
H8201	12"	13x13
H8202	18"	13x13
H8203	24"	13x13
H8204	18"	20x40
H8205	24"	20x40
H8206	30"	20x40
H8207	36"	20x40
H8208	48"	20x40
H8209	60"	20x40
H8210	72"	20x40

S.S OVAL HANDRAIL

Made of 316 Stainless Steel



S.S OVAL HANDRAIL

Made of 304 Stainless Steel


Code	Length	Oval Tube
H02571	12"	25.4x18.8
H02572	16"	25.4x18.8
H02573	18"	25.4x18.8
H02574	24"	25.4x18.8
H02575	9"	25.4x18.8





World Made Limited


AISI 316 STAINLESS STEEL HANDRAIL



Code	L mm	H mm	Fixing
H0171A	170	40	2 Studs 1/4"
H0172A	170	40	2 Screws 1/4"

HANDRAILS

Made of 316 Stainless Steel



Code	Fixing mm	LxH mm
H0301A	2Studs	300x50
H0302A	2Screws	300x50

AISI 316 STAINLESS STEEL HANDRAIL



Code	L mm	H mm
H400101	120	27
H400102	150	45

AISI 316 STAINLESS STEEL HANDRAIL



Code	L mm	H mm
H52001	150	50

AISI 316 STAINLESS STEEL HANDRAIL



Code	L mm	H mm
H60118	67	15.5
H60119	82	19.5
H60120	102.5	24.5

Top Cap & Slide 滑帽&滑套

Code	D2 mm	W mm	H mm	D1 mm
H0400B	19	6	58	6
H0401A	22	6	58	6
H0402A	25	6	58	6
H0402C(heavy)	25	7	58	8
H0403A	30	9	64	10

AISI 316 STAINLESS STEEL TOP CAP



Code	D2 mm	W mm	H mm	D1 mm
H0401B	19	6	65	8
H0402B	22	6	65	8
H0403B	30	6	65	8

AISI 316 STAINLESS STEEL TOP CAP



Code	Pipe
H203-1501	1"
H203-1502	1-1/4"

TOP CAPS



Code	L mm
H22116	22
H22117	25
H22118	30

AISI 316 STAINLESS STEEL TOP TERMINAL CAP



Code	D mm	L mm
H22120	22	135
H25120	25	135
H30120	30	144

AISI 316 STAINLESS STEEL TOP ADJUST CAP



Code	D mm
H202-1502	25

AISI 316 STAINLESS STEEL TOP CAP



Code	D mm
H202-1503	25

AISI 316 STAINLESS STEEL TOP CAP



Code	D mm
H0401F	22
H0402F	25

AISI 316 STAINLESS STEEL TOP INSERT




NEW




World Made Limited

AISI 316 STAINLESS STEEL TOP SLIDE




Code	D1 mm	L mm	W1 mm	W2 mm	D2 mm
H0400A	19	44	22.5	6.5	6
H0405A	22	51	28	8	6
H0406A	25	54	28.5	8	6
H0407A	30	66	26.5	8	6

AISI 316 STAINLESS STEEL TOP SLIDE




Code	D1 mm	L mm	W1 mm	W2 mm	D2 mm
H0405B	22	60	30	7.5	6
H0406B	25	62	31	8	6

AISI 316 STAINLESS STEEL TOP SLIDE




Code	D1 mm	L mm	W1 mm	W2 mm	D2 mm
H0408A	22	54.3	28	10.6	7
H0408B	25	57	29	11	7
H0408C	30	62	29.5	11.5	7

AISI 316 STAINLESS STEEL TOP SLIDE




Code	D mm	L mm	W mm
H0298A	22	71	30
H0298B	25	75	31
H0298C	30	84	32

AISI 316 STAINLESS STEEL TOP SLIDE




Code	D mm	L mm	W mm
H204-1400	22	57	27
H204-1401	25	70	28
H204-1402	30	78	29

AISI 316 STAINLESS STEEL TOP SLIDE




Code	D mm	L mm	W mm
H02951	20	75	28
H02952	22	75	28
H02953	25	75	28

AISI 316 STAINLESS STEEL TOP SLIDE




Code	D2 mm	L mm	W mm	D1 mm
H202-1501	25	82	50	20

AISI 316 STAINLESS STEEL CLAMP




Code	L mm	H mm	For Pipe mm
H0018A	54.3	30	22/25

AISI 316 STAINLESS STEEL CLAMP




Code	L mm	For Pipe mm
H0018B	62.4	30/35-40

AISI 316 STAINLESS STEEL TOP CAP+SLIDE




Code	H	pipe
H0412A	97	25
H0412C	97	22

AISI 316 STAINLESS STEEL TOP CAP+SLIDE




Code	H	C	B	pipe
H0412B	82	30	42	25
H0412D	82	30	42	22

AISI 316 STAINLESS STEEL TENT SLIDING BRACKET



Code	For pipe mm.
H22100	22
H2299	25
H2298	30

AISI 316 STAINLESS STEEL FLAGPOLE SLEEVE BASE



Code	For pulpit mm.	Flagpole mm.
H04947	25	20-25
H04948	30	20-25


Deck Hinge 山型座

AISI 316 STAINLESS STEEL DECK HINGE 90°




Code	L mm	W mm
H0409E	52	17

AISI 316 STAINLESS STEEL DECK HINGE 90°




Code	L mm	W mm
H0409A	52	17

AISI 316 STAINLESS STEEL DECK HINGE 90°




Code	L mm	W mm
H0409B	52	17

AISI 316 STAINLESS STEEL DECK HINGE 90°



Code	L mm	W mm	For Pipe mm
H0611C	52	17	22
H0611D	57	17	25

AISI 316 STAINLESS STEEL DECK HINGE 90°



Code	L mm	W mm	For Pipe mm
H0609A	52	17	22
H0611A	57	17	25


AISI 316 STAINLESS STEEL DECK HINGE 90°



Code	L mm	W mm	For Pipe mm
H0611B	52	17	22


AISI 316 STAINLESS STEEL INCLINED DECK HINGE

Code	L mm	W mm
H0611I	52	17




AISI 316 STAINLESS STEEL INCLINED DECK HINGE

Code	L mm	W mm
H0611J	50	17




AISI 316 STAINLESS STEEL DECK HINGE

Code	L mm	W mm
H22101	70	25




AISI 316 STAINLESS STEEL DECK HINGE

Code	L mm	W mm
H22102	90	39




AISI 316 STAINLESS STEEL DECK HINGE

Code	L mm	W mm
H22201	81	32
H22202	90	30



AISI 316 STAINLESS STEEL DECK HINGE

Code	L mm	W mm
H22101P	70	25




AISI 316 STAINLESS STEEL DECK HINGE

Code	L mm	W mm
H22203	90	30



AISI 316 STAINLESS STEEL DECK HINGE


Code	L mm	W mm
H202-1500	94	40.8






Handrail bracket 扶栏支架

AISI 316 STAINLESS STEEL HANDRAIL STANCHION (60° FORWARD) 60°




Code	D mm	L mm	W mm	H mm
H0220A	22	31.8	41.3	45.1
H0220B	25	31.8	40	56

AISI 316 STAINLESS STEEL HANDRAIL STANCHION (60° CENTER)




Code	D mm	L mm	W mm	H mm
H0221A	22	31.8	41.3	45.1
H0223A	25	31.8	40	56

AISI 316 STAINLESS STEEL HANDRAIL STANCHION (60° END)




Code	D mm	L mm	W mm	H mm
H0222A	22	31.8	41.3	45.1
H0224A	25	31.8	40	56

AISI 316 STAINLESS STEEL HANDRAIL STANCHION (60° END)




Code	D mm	L mm	W mm	H mm
H0225A	22	32	39	67.7
H0225B	25	32.2	37	69.6

AISI 316 STAINLESS STEEL HANDRAIL STANCHION (60° CENTER)



Code	D mm	L mm	W mm	H mm
H0226A	22	31.8	36.6	66.2
H0226B	25	31.5	36	69.2

AISI 316 STAINLESS STEEL HANDRAIL STANCHION (60° CENTER)




Code	D mm	L mm	W mm	H mm
H0228A	22	31.5	34.4	47.4
H0228B	25	33.7	34.8	54.7

Pipe Stanchion 管座


AISI 316 STAINLESS STEEL 30° HANDRAIL ROUND BASE

Code	D1 mm	D2 mm	H mm
H0202A	22	66.3	37.8
H0202B	25	72.2	36.7




AISI 316 STAINLESS STEEL 45° HANDRAIL ROUND BASE

Code	D1 mm	D2 mm	H mm
H0203A	22	66.3	38.1
H0203B	25	72.2	37.9




AISI 316 STAINLESS STEEL 60° HANDRAIL ROUND BASE

Code	D1 mm	D2 mm	H mm
H0205A	22	66.3	41.1
H0206A	25	72.2	40
H0206B	30	71.5	46




AISI 316 STAINLESS STEEL 90° HANDRAIL ROUND BASE

Code	D1 mm	D2 mm	H mm
H0207A	22	66.3	44.7
H0208A	25	72.2	44.7
H0208B	30	71.5	43.2




AISI 316 STAINLESS STEEL 90° SHORT HANDRAIL ROUND BASE

Code	D1 mm	D2 mm	H mm
H0207C	22	66.3	28
H0208C	25	72.2	29




AISI 316 STAINLESS STEEL 30° HANDRAIL RECTANGULAR BASE

Code	D mm	L mm	W mm	H mm
H0209A	22	78.7	44	35.6
H0209B	25	82	47.3	38



AISI 316 STAINLESS STEEL HANDRAIL STANCHION (60° CENTER)


Code	D mm	L mm	W mm	H mm
H0210A	22	78.7	44	39
H0210B	25	82	47.3	43.6






World Made Limited

AISI 316 STAINLESS STEEL 60° HANDRAIL RECTANGULAR BASE



Code	D mm	L mm	W mm	H mm
H0211B	22	78.7	44	45.5
H0212B	25	82	47.3	49.8
H0212C	30	85.6	51.6	42.4

AISI 316 STAINLESS STEEL 90° HANDRAIL RECTANGULAR BASE



Code	D mm	L mm	W mm	H mm
H0213B	22	78.7	44	43.7
H0214B	25	82	47.3	44.1
H0214C	30	86	51.8	44

AISI 316 STAINLESS STEEL 45° WELDABLE ROUND BASE



Code	D1 mm	D2 mm	H mm
H0250A	22	66	13
H0251A	25	80	10

AISI 316 STAINLESS STEEL 60° WELDABLE ROUND BASE



Code	D1 mm	D2 mm	H mm
H0252A	22	66	13
H0253A	25	80	16

AISI 316 STAINLESS STEEL 90° WELDABLE ROUND BASE




Code	D1 mm	D2 mm	H mm
H0254A	22	66	16
H0255A	25	75	16

AISI 316 STAINLESS STEEL 45° WELDABLE RECTANGULAR BASE



Code	D mm	L mm	W mm	H mm
H0256B	22	78	44	12.5
H0257B	25	78	44	15


AISI 316 STAINLESS STEEL 60° WELDABLE RECTANGULAR BASE



Code	D mm	L mm	W mm	H mm
H0258B	22	78	44	13
H0259B	25	78	44	14

AISI 316 STAINLESS STEEL 90° WELDABLE RECTANGULAR BASE

Code	D mm	L mm	W mm	H mm
H0260B	22	78	44	16
H0261B	25	78	44	16




AISI 316 STAINLESS STEEL STANCHION BASE

Code	Degree	L mm	W mm	H mm
H0015B	83°	90	56	60
H0015C	90°	90	56	60




AISI 316 STAINLESS STEEL STANCHION BASE FOR RAIL

Code	Degree	L mm	W mm	H mm
H0016B	60°	78.2	56	68
H0016C	90°	80	56	68.5




AISI 316 STAINLESS STEEL 60° STANCHION BASE

Code	D mm	H mm
H0299C	25	67
H0299A	30	105




AISI 316 STAINLESS STEEL 90° STANCHION BASE

Code	D mm	H mm
H0299D	25	69
H0299B	30	80



AISI 316 STAINLESS STEEL 60° STANCHION BASE

Code	D mm	H mm
H00100A	25	66.5
H00102A	30	61



AISI 316 STAINLESS STEEL 90° STANCHION BASE

Code	D mm	H mm
H00101A	25	56.2
H00103A	30	61.5





World Made Limited

AISI 316 STAINLESS STEEL CENTER FITTING FOR HANDRAIL



Code	D mm	H mm
H34210	22	55
H34212	25	65

AISI 316 STAINLESS STEEL END FITTING FOR HANDRAIL



Code	D mm	H mm
H34214	22	55
H34216	25	65

AISI 316 STAINLESS STEEL 90° ELBOW



Code	D mm	L mm	W mm
H0240A	22	50	50
H0241A	25	51	51

AISI 316 STAINLESS STEEL 60° HANDRAIL TEE




Code	D mm	L mm	W mm
H0230A	22	48	57
H0231A	25	52	60
H0231B	30	79	79

AISI 316 STAINLESS STEEL 60° RIGHT HAND HANDRAIL TEE




Code	L mm	H mm	W mm
H0232A	22	48	57
H0233A	25	52	60

AISI 316 STAINLESS STEEL 60° LEFT HAND HANDRAIL TEE




Code	L mm	H mm	W mm
H0234A	22	48	57
H0235A	25	52	60

AISI 316 STAINLESS STEEL 90° HANDRAIL TEE




Code	L mm	H mm	W mm
H0236A	22	52	52
H0237A	25	55	55
H0237B	30	76	83

AISI 316 STAINLESS STEEL 60° HANDRAIL TEE




Code	L mm	H mm	W mm
H0230C	22	48	57
H0231C	25	52	60

AISI 316 STAINLESS STEEL 90° HANDRAIL TEE




Code	L mm	H mm	W mm
H0236C	22	52	52
H0237C	25	55	55

AISI 316 STAINLESS STEEL 60° TEE CONNECTOR




Code	L mm	H mm	W mm
H0233B	22	48	57

AISI 316 STAINLESS STEEL 90° TEE CONNECTOR




Code	L mm	H mm	W mm
H0233C	22	52	52

AISI 316 STAINLESS STEEL 90° 3-WAY TEE CONNECTOR




Code	L mm	H mm	W mm
H0294A	22	49.2	49.2
H0294B	25	49	49
H0294C	30	49	49

AISI 316 STAINLESS STEEL 90° 4-WAY TEE CONNECTOR



Code	L mm	H mm	W mm
H00105A	22	72.4	51
H00105B	25	71.7	51.4

AISI 316 STAINLESS STEEL 90° CROSS TEE CONNECTOR



Code	L mm	H mm	W mm
H0295A	22	72.4	72.4
H0295B	25	71.7	71.7




World Made Limited

AISI 316 STAINLESS STEEL 90° 2-WAY TEE CONNECTOR




Code	D mm
H902200	22

AISI 316 STAINLESS STEEL BLIND BASE




Code	D mm	L mm	H mm
H0293A	25	87	34.2

AISI 316 STAINLESS STEEL SWIVELING JOINT FOR BIMINI PIPES




Code	D mm	L mm
H22104	22	38.5
H22105	25	39.2

AISI 316 STAINLESS STEEL SWIVELING JOINT FOR BIMINI PIPES




Code	D mm	L mm
H22106	30	42.1

AISI 316 STAINLESS STEEL SWIVELING JOINT FOR BIMINI PIPES




Code	D mm	L mm
H22306	22	37.8
H22206	25	38

AISI 316 STAINLESS STEEL SWIVELING JOINT FOR BIMINI PIPES




Code	D1 mm	D2 mm
H22107	17.5	20.2
H22108	17	20
H22110	19.4	22
H22112	18.8	22

AISI 316 STAINLESS STEEL BOW FORM




Code	D mm	L mm	W mm	T
H0242A	22	63	63	110°
H0242B	25	63	63	110°
H0243A	22	64	64	120°
H0243B	25	64	64	120°
H0244A	22	64	64	125°
H0244B	25	64	64	125°
H0245A	22	59	59	140°
H0245B	25	59	59	140°

AISI 316 STAINLESS STEEL RAIL END



Code	D mm	L mm
H0200A	22	119

AISI 316 STAINLESS STEEL RAIL END




Code	D mm	L mm
H0200B	22	170
H0200C	25	170

AISI 316 STAINLESS STEEL RAIL END




Code	D mm	L mm
H258	25	187.5

AISI 316 STAINLESS STEEL RAIL END



Code	D mm	L mm	H mm
H259	25	100	61

AISI 316 STAINLESS STEEL RAIL END




Code	D mm	L mm
H0201A	22	109

AISI 316 STAINLESS STEEL MAST BRACKET



Code	L mm	H mm	D mm	Degree
H3290	82.5	72.4	25	90°
H3287	82.5	72.4	25	87°
H3285	82.5	72.4	25	85°

AISI 316 STAINLESS STEEL STANCHION BASE



Code	D mm	L mm	W mm	H mm
H4943	14	85.6	40.5	33.2
H4945	20	86	42	44.4
H4946	25	90.5	45	52



Hinge 铰链 (合页)

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0600A	140	39

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0601A	38	38
H0602A	50	50

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	B mm	D mm	S mm
H0602B/L	76	46	12	2
H0602B/R	76	46	12	2

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0603A	102	25

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0603B	150	25

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0603C	203	98

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0604A	76	38

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0604B	90	38
H0604C	90	38

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0606A	57	38
H0607A	76	38

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0607B	107	38

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H6430A	64	30

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H0606C	55	38
H0607C	70	38

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H8242A	82	42

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H06008	100	60

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H19065A	190	65

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H19065B	190	65

AISI 316 STAINLESS STEEL CASTING HINGE




Code	L mm	W mm
H12640A	126	40
H14665A	146	65



World Made Limited

AISI 316 STAINLESS STEEL CASTING HINGE




Code	L mm	W mm
H12640B	126	40
H14665B	146	65

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H7640A	76	40

AISI 316 STAINLESS STEEL CASTING HINGE




Code	L mm	W mm
H7640B	76	40

AISI 316 STAINLESS STEEL CASTING HINGE




Code	L mm	W mm
H13465A	134	65
H12765A	127	65
H10365A	103	65

AISI 316 STAINLESS STEEL CASTING HINGE




Code	L mm	W mm
H13465B	134	65
H12765B	127	65
H10365B	103	65

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H8065A	80	65
H5265A	52	65

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H8065B	80	65
H5265B	52	65

AISI 316 STAINLESS STEEL CASTING HINGE




Code	L mm	W mm
H7040A	70	40

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H8165A	81	65
H7265A	72	65
H8365A	83	65
H10365A	103	65

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H7040B	70	40
H7265B	72	65
H8365B	83	65
H10365B	103	65

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H913094	94	49

AISI 316 STAINLESS STEEL CASTING HINGE



Code	L mm	W mm
H913084	84	45
H913069	69	35

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H801025	30	25
H801035	40	35
H801040	50	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H801360	59	40
H801380	80	60
H801382	80	80

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H841580	40	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H842720	100	30



World Made Limited

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H841720	140	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H844020	76	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H8120655	76	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H841500	59	40

AISI 316 STAINLESS STEEL STAMPING HINGE




Code	L mm	W mm
H841571	68	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H81556	37	35

AISI 316 STAINLESS STEEL STAMPING HINGE




Code	L mm	W mm
H841700	74	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H81554	70	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H7413	70	40

AISI 316 STAINLESS STEEL STAMPING HINGE



Code	L mm	W mm
H7418	70	38

AISI 316 STAINLESS STEEL CASTING HATCH HINGE



Code	D mm	L mm	H mm
H0608A	75.3	56.4	34

ISI 316 STAINLESS STEEL CASTING HATCH HINGE



Code	D mm	L mm	H mm
H0608B	72	55.5	30.4

AISI 316 STAINLESS STEEL CASTING HATCH HINGE



Code	D mm	L mm	H mm
H0608C	72	66.5	30.4

ISI 316 STAINLESS STEEL CASTING HATCH HINGE

Code	L mm	W mm
H2252A	57	30
H2253A	210	40



AISI 316 STAINLESS STEEL CASTING DECK HINGE

Code	D mm	H mm	For Pipe mm
H0410A	50.8	22.2	32.8
H0411A	50.8	19	32.8



AISI 316 STAINLESS STEEL CASTING DECK HINGE

Code	D mm	L mm	H mm
H0605B	74.6	74.6	32



AISI 316 STAINLESS STEEL DOOR BUTTON

Code	D mm
H0045	42.6





World Made Limited

Pull Ring 拉环

AISI 316 STAINLESS STEEL PULL RING



Code	L mm	W mm
H0801B	48	38

AISI 316 STAINLESS STEEL PULL RING



Code	L mm	W mm
H0801C	62	44

AISI 316 STAINLESS STEEL PULL RING



Code	D mm
H03047	50

AISI 316 STAINLESS STEEL PULL RING



Code	L mm	W mm
H1821	75	55

AISI 316 STAINLESS STEEL PULL RING



Code	L mm	W mm
H31189	75	58

AISI 316 STAINLESS STEEL PULL RING




Code	L mm	W mm
H1822	38	44
H1823	65	55

AISI 316 STAINLESS STEEL PULL RING



Code	L mm	W mm
H1825	57	40

AISI 316 STAINLESS STEEL PULL RING



Code	L mm	W mm	H mm
H3201	79	67.2	109.8


AISI 316 STAINLESS STEEL PULL RING



Code	L mm	W mm
H3202	76	58


Lock & Latch 锁扣

AISI 316 STAINLESS STEEL TURNING LOCK



Code	D1 mm	D2 mm	H1 mm	H2 mm
H3203	62	50.5	11.5	37.4

AISI 316 STAINLESS STEEL TURNING LOCK



Code	D1 mm	D2 mm	H1 mm	H2 mm
H3206	62	50.5	11.5	37.4

AISI 316 STAINLESS STEEL TURNING LOCK




Code	D1 mm	D2 mm	H1 mm	H2 mm
H3204	62	50.5	11.5	37.4

AISI 316 STAINLESS STEEL TURNING LOCK



Code	D1 mm	D2 mm	H1 mm	H2 mm
H3205	61	49.4	20	66

AISI 316 STAINLESS STEEL LATCH



Code	L1 mm	L2 mm	W1 mm	W2 mm
H0701A	111	39.1	48.1	48.2

AISI 316 STAINLESS STEEL LATCH



Code	L1 mm	L2 mm	W1 mm	W2 mm
H0702A	121.5	33	37	37

AISI 316 STAINLESS STEEL LATCH




Code	L1 mm	L2 mm	W1 mm	W2 mm
H211	82.5	25.4	27.8	28




World Made Limited

AISI 316 STAINLESS STEEL LATCH



Code	L1 mm	L2 mm	W1 mm	W2 mm
H212	83.5	17.6	29.1	29.1

AISI 316 STAINLESS STEEL LATCH



Code	L mm	W mm
H49001	90	39
H49000	108	39

AISI 316 STAINLESS STEEL LATCH



Code	Length mm	Width mm
H1011	79	26

AISI 316 STAINLESS STEEL LATCH



Code	Length mm	Width mm
H1012	70	21

HINGE



Code	Dimensions mm.
H0703A	90x25.5

BARREL BOLT



Code	Size mm.
H49002	76
H49003	102

ECCENTRIC HINGES FOR HATCHES



Code	For pipe mm.
H2250A	45x35

BARREL BOLT



Code	Size mm.
H48001	100x42.5

AISI 316 STAINLESS STEEL LATCH



Code	Length mm	Width mm
H80199	76	30

AISI 304 STAINLESS STEEL LATCH



Code	Length mm	Width mm
H80200	71	25

AISI 316 STAINLESS STEEL BELT LATCH




Code	L mm	W mm
H341	65	40

AISI 316 STAINLESS STEEL BELT LATCH



Code	L mm	W mm
H342	62	34
H343	35	25


AISI 316 STAINLESS STEEL BELT LATCH



Code	L mm	W mm
H230-070	31	32.3
H230-071	48	38

Antenna Base 天线座

AISI 316 STAINLESS STEEL ANTENNA BASE



Code	L mm	W mm	D mm
H0909A	93	64	25

Stanchion & Bracket 支撐

AISI 316 STAINLESS STEEL STANCHION



Code	D mm	L mm
HS0101	25	610
HS0102	25	750
HS0103	25	900
HS0104	25	1200

AISI 316 STAINLESS STEEL STANCHION



Code	D mm	L mm
HS0201	25	465
HS0202	25	610
HS0203	25	725

AISI 316 STAINLESS STEEL STANCHION



Code	D mm	L mm
HS0301	25	465
HS0302	25	610
HS0303	25	725

AISI 316 STAINLESS STEEL STANCHION



Code	D mm	L mm
HS0401	14	400
HS0402	20	600
HS0403	25	800

AISI 316 STAINLESS STEEL STANCHION



Code	D mm	L mm
HS0501	20	610
HS0502	25	750
HS0503	25	900
HS0504	25	1200

AISI 316 STAINLESS STEEL TABLE BRACKET



Code	L mm	W mm
H01013	300	165

AISI 304 STAINLESS STEEL HATCH COVER PULL



Code	Dia. mm	Base Dia. mm	Length mm
H1232S	6.4	31.8	84.4
H1232L	6.4	31.8	113
H1232R3	6.4	31.8	54.3

AISI 304 STAINLESS STEEL HATCH ADJUSTER



Code	Dia. mm	Length mm
H2912S	11	210
H2913S	14.5	260

AISI 304 STAINLESS STEEL HATCH ADJUSTER



Code	Dia. mm	Length mm
H2914S	11	210
H2915S	14.5	260

AISI 304 STAINLESS STEEL HATCH ADJUSTER WITH WIRE ROPE



Code	Dia. mm	Length mm
H2912SW	11	210
H2913SW	14.5	260

AISI 304 STAINLESS STEEL HATCH ADJUSTER WITH WIRE ROPE



Code	Dia. mm	Length mm
H2914SW	11	210
H2915SW	14.5	260

AISI 304 STAINLESS STEEL HATCH ADJUSTER



Code	L mm	D mm
H82006D	350	16
H82006	430	16

AISI 304 STAINLESS STEEL HATCH ADJUSTER



Code	L mm
H82007	390



World Made Limited

Plug 塞子

AISI 304 STAINLESS STEEL SNAP HANDLE DRAIN PLUG



Code	Dia. mm
H2968S	25
H2969S	32

GLASS AND CAN HOLDER made of 304 Stainless Steel



Code	Height	WPAD& GASKET	Flange	Barb
H09958SBE	3-1/4"	Φ2-13/16"~Φ3-1/4"	4-1/4"	3/8"

DRINK CUP HOLDER made of 304 Stainless Steel



Code	Height	Flange
H03095SE	1-3/4"	3.45

AISI 304 STAINLESS STEEL SNAP HANDLE DRAIN PLUG



Code	Dia. mm
H2970S	25
H2971S	32

DRAIN TUBE made of Brass/Stainless Steel



Code	Sleeve	M'TL
H02962B	32(1-1/4")x76(3")	Brass
H02962SBL	32(1-1/4")x98.4(3-7/8")	Brass
H02963SB	25.4(1")x76(3")	Brass
H02963SBM	25.4(1")x88.9(3-1/2")	Brass
H02963SBL	25.4(1")x98.4(3-7/8")	Brass
H02964SB	25.4(1")x48(1-7/8")	Brass
H02963L1	25.4(1")x98.4(3-7/8")	S.S

NYLON PLUG made of Nylon



Code	Size
H01241PB	3/4"


Other Hardware 其他五金

ACCESSORIES

Code	Thread
H10124	90mm




Code	I.D. mm
H8001A	163X57
H8001B	177X60



HINGE


AISI 316 STAINLESS STEEL CABLE GLAND

Code	L mm	W mm	H mm
H49005	118.5	114.8	90.5




AISI 316 STAINLESS STEEL WATER SKI TOW

Code	L mm	D1 mm	D2 mm	H2 mm	H2 mm
H1960	43	62	10	102	65.3
H1961	62	75	10	118	65.3




AISI 316 STAINLESS STEEL FOLDING STEP

Code	L mm	W mm
H49006A	130	85
H49006B	135	110




AISI 316 STAINLESS STEEL DRAIN PLUG

Code	D mm
H12000	50



AISI 316 STAINLESS STEEL DRAIN PLUG

Code	D mm
H0227A	22
H0227B	25
H0227C	30





World Made Limited

AISI 316 STAINLESS STEEL RUB STRAKE



Code	Width mm	Length mm	Screws
H2090SA	19	203	10#
H2091SA	19	304	10#
H2092SA	19	457	10#
H2093SA	19	610	10#
H2090SA1	25.4	203	10#
H2091SA1	25.4	304	10#
H2092SA1	25.4	457	10#
H2093SA1	25.4	610	10#

TELESCOPIC BOAT HOOKS



Code	Open Length mm	Section
H1245A2	2180	2
H1245A3	2335	3

AISI 316 STAINLESS STEEL BOAT HOOK



Code	D mm	H mm
H0028	34	170
H0034	41	188

AISI 316 STAINLESS STEEL BOAT HOOK



Code	D mm	H mm
H0028D	34	170
H0034D	41	188

AISI 316 STAINLESS STEEL HOOK




Code
H49008

AISI 316 STAINLESS STEEL HOOK



Code
H49009

COPPER DIP CHROME DOOR STOPPER



Code	D mm	H mm
H1242	49	61

FORK TO MOUNT HOODS ON INFLATABLE ROWLOCKS



Code	Length mm.
H22103	9.8

HINGE



Code	A mm	B mm	C mm	D mm	E mm	F mm
H8002A	165	40	6	68	6	31

Code	A mm	B mm	C mm	D mm	E mm	F mm
H8003A	70	61	95	50	8	9

Code	A mm	B mm	C mm	D mm	E mm	F mm	G mm
H8004A	165	40	6	68	6	31	8

Code	A mm	B mm	C mm	D mm	E mm
H8005A	92	56	133	6	16


Code	A mm	B mm	C mm	D mm	E mm
H8006A	100	40	42	32	6

Code	A mm	B mm	C mm	D mm	E mm
H49004	51	40	6	42.5	5.5


Code	A mm	B mm	C mm	D mm	E mm
H8008A	50	24	60	8	5

Code	A mm	B mm	C mm
H21300	160	61	76


Code	A mm	B mm	C mm
H21299	160	61	73




HINGE




HINGE



STANCHION




HINGE




EYE PLATE



HINGE



CAR PART



CAR PART




World Made Limited

CAR PART



Code	Thread
H21299-B2	160x60x100mm

S.STEEL HOOK



Code	A mm	B mm	C mm	D mm	E mm
H420101	150	100	30	15	9


Drink Holder 杯架

AISI 304 STAINLESS STEEL DRINK HOLDER



Code	L mm	W mm
H09931	100	98

AISI 316 STAINLESS STEEL DRINK HOLDER



5/16"X4-1/8" O.D. Solid Rings
5/16"X2" Thread Studs
2" Above Deck When Installed

Code	Rings
H1205SN	1
H1205DN	2
H1205TN	3

Deck Plate 甲板手孔盖

AISI 316 STAINLESS STEEL DECK PLATE



Code	D1 mm	D2 mm
H00301	123	81.8
H00302	147	106
H00303	173	133
H00304	196.5	161.8

AISI 316 STAINLESS STEEL DECK PLATE



Code	D1 mm	D2 mm
H00401	123	81.8
H00402	147	106
H00403	173	133
H00404	196.5	161.8

Steering Wheel 方向盘

AISI 304/316 STAINLESS STEEL STEERING WHEEL

Code	Size mm	Spoke	Shaft mm	Color
H0101	343	5	20/25	White
H0102	343	5	20/25	Black
H0103	400	5	20/25	White
H0104	400	5	20/25	Black



AISI 304/316 STAINLESS STEEL STEERING WHEEL

Code	Size mm	Spoke	Shaft mm
H0301	343	5	20/25
H0302	400	5	20/25
H0303	460	5	20/25
H0304	500	5	20/25



AISI 304/316 STAINLESS STEEL STEERING WHEEL WITH KNOB

Code	Size mm	Spoke	Shaft mm
H0401	343	5	20/25
H0402	400	5	20/25



AISI 304/316 STAINLESS STEEL STEERING WHEEL WITH KNOB

Code	Size mm	Spoke	Shaft mm
H0501	343	3	20/25
H0502	400	3	20/25



S.S DESTROYER WHEEL

made of 304 Stainless Steel W/SS 316 Casting Hub

Code	Size	Dish	Shaft	Spoke
H21301	13.5"	25Deg	3/8"	5
H21302	15.5"	25Deg	3/8"	5
H21303	15.5"	10Deg	3/8"	5
H21304	18"	10Deg	3/8"	5
H21305	20"	10Deg	7/16"	5
H21306	22"	10Deg	7/16"	5



S.S WHEEL WITH KNOB 5-SPOKE

made of 304 Stainless Steel W/SS 316 Casting Hub

Code	Size	Shaft	Dish
H21201	15-1/2"	3/4"	25Deg
H21202	13-1/2"	3/4"	25Deg
H21203	11"	3/4"	25Deg



S.S WHEEL AND PVC FOAM COVER 6-SPOKE

made of 304 Stainless Steel W/SS 316 Casting Hub

Code	Size	Shaft	Dish	Foam
H1601	15-1/2"	3/4"	25Deg	Black
H1602	15-1/2"	3/4"	25Deg	Gray
H1603	15-1/2"	3/4"	25Deg	Black
H1604	15-1/2"	3/4"	25Deg	Gray





World Made Limited

S.S SAIL-BOAT WHEEL

"Hubs are made to fit 1" straight bore 2-5/16" length and 1/4" key stock" made of 304 Stainless Steel



Code	Size	Rim Size	Spoke
H21301	24"	7/8"	1/2"x6
H21302	26"	7/8"	1/2"x6
H21303	28"	7/8"	1/2"x6
H21304	30"	7/8"	1/2"x6
H21305	32"	7/8"	1/2"x6
H21306	34"	7/8"	1/2"x6
H21307	36"	7/8"	1/2"x6
H21308	24"	1"	1/2"x6
H21309	26"	1"	1/2"x6
H21310	28"	1"	1/2"x6
H21311	30"	1"	1/2"x6
H21312	32"	1"	1/2"x6
H21313	34"	1"	1/2"x6
H21314	36"	1"	1/2"x6
H21315	38"	1"	1/2"x6
H21316	40"	1"	1/2"x6
H21317	42"	1"	1/2"x6

AISI 316 STAINLESS STEEL KNOB



Code	Fits Rim Size mm
H0601	20-25
H0602	20-25
H0603	20-25

AISI 316 STAINLESS STEEL STEERING WHEEL CENTER NUT



Code	Thread
H0701	1/2"-20
H0702	5/8"-18

Outboard Engine Hardware 舷外机五金

AISI 304 STAINLESS STEEL OUTBOARD MOTOR BRACKET



Code	Hp Rating
H01004	To 10Hp
H01005	To 20Hp

ALUMINIUM OUTBOARD MOTOR BRACKET



Code	Hp Rating
H01003	To 10Hp

AISI 304 STAINLESS STEEL OUTBOARD MOTOR BRACKET



Code	Hp Rating
H01006	To 20Hp

Ladder 梯子


AISI 316/304 STAINLESS STEEL TELESCOPIC LADDER

Code	Step	Width mm	Length mm
H0101	2	254	598



AISI 316/304 STAINLESS STEEL TELESCOPIC LADDER

Code	Step	Width mm	Length mm
H0201	3	178	875
H0202	3	254	875



AISI 316/304 STAINLESS STEEL TELESCOPIC LADDER

Code	Step	Width mm	Length mm
H0301	4	178	1145
H0302	4	254	1145




AISI 316/304 STAINLESS STEEL TELESCOPIC LADDER

Code	Step	Width mm	Length mm
H0401	2	254	598




AISI 316/304 STAINLESS STEEL TELESCOPIC LADDER

Code	Step	Width mm	Length mm
H0501	3	254	875



AISI 316/304 STAINLESS STEEL TELESCOPIC LADDER

Code	Step	Width mm	Length mm
H0601	4	178	1145





World Made Limited

AISI 316 STAINLESS STEEL TELESCOPIC LADDER



Code	Step	Width mm	Length mm
H0701	2	178	598
H0702	2	254	598

AISI 316 STAINLESS STEEL TELESCOPIC LADDER



Code	Step	Width mm	Length mm
H0703	3	178	875
H0704	3	254	875

AISI 316 STAINLESS STEEL TELESCOPIC LADDER



Code	Step	Width mm	Length mm
H0801	4	178	1145
H0802	4	254	1145

AISI 316 STAINLESS STEEL TELESCOPIC LADDER



Code	Step	Width mm	Length mm
H0901	3	178	600
H0902	4	178	875
H0903	5	178	1080
H0904	3	228	600
H0905	4	228	875
H0906	5	228	1080

AISI 316 STAINLESS STEEL FOLDING LADDER



Code	Step	Width mm	Length mm
H1001	2+1	165	560
H1002	2+2	165	755

AISI 316 STAINLESS STEEL FOLDING LADDER



Code	Step	Width mm	Length mm
H1101	3	228	665
H1102	4	228	940
H1103	5	228	1155

AISI 316 STAINLESS STEEL FOLDING LADDER



Code	Step	Width mm	Length mm
H1201	2+1	245	720
H1202	2+2	245	960
H1203	3+1	245	990
H1204	3+2	245	1220

AISI 316 DIVE PLATFORM LADDER



Code	Step	Width mm	Length mm
H1401	2	260	600

AISI 316 STAINLESS STEEL TELESCOPIC LADDER BRACKET



Code	L mm	W mm	H mm
H1301	25	40	140


AISI 316 STAINLESS STEEL TELESCOPIC LADDER BRACKET



Code	L mm	W mm	H mm
H1302	65	295	360

Rod Holder 鱼竿座

AISI 316 STAINLESS STEEL ROD HOLDER




Code	Base size mm.
H4954	22
H4956	25

AISI 316 STAINLESS STEEL ROD HOLDER



Code	For pipe size.	Rod holder I.D
H7741	1"	1-3/4"
H7742	1-1/4"	1-3/4"
H7743	1-3/4"	1-3/4"

AISI 316 STAINLESS STEEL ROD HOLDER




Code	I.D. mm.
H7753	34

AISI 316 STAINLESS STEEL ROD HOLDER



Code	D mm	L mm	Fits Flies Size mm
H7762	40	230	22-25

AISI 316 STAINLESS STEEL ROD HOLDER



Code	Size mm.
H7756	44.5x528x193
H7757	44.5x725x193

AISI 316 STAINLESS STEEL ROD HOLDER



Code	D mm	L2 mm	L1 mm	W mm
H7751	42.5	292	90	60

AISI 316 STAINLESS STEEL ROD HOLDER



Code	D mm	L mm	For Pipe mm
H7750	42.5	315	25

AISI 316 STAINLESS STEEL ROD HOLDER



Code	D mm	L mm	For Pipe mm	Degree
H7739	42.5	240	25	30°

AISI 316 STAINLESS STEEL ROD HOLDER



Code	D mm	L mm	Size
H7745-30	42	230	30°

AISI 316 STAINLESS STEEL ROD HOLDER




Code	D mm	L mm	Size
H7745-90	42	230	90°

Thru-Hull & Vent 出水口和通风口


Code	D	H mm
H0101A	3/8"	53.2
H0102A	1/2"	61
H0103A	3/4"	70.1
H0104A	1"	72.8
H0105A	1-1/4"	78.6
H0106A	1-1/2"	79.3
H0107A	2"	95.1
H0108A	2-1/2"	115.5
H0109A	3"	120

AISI 316 STAINLESS STEEL THRU-HULL




Code	D1	D2 mm	H mm
H0101B	3/8"	14	53.2
H0102B	1/2"	18.3	61
H0103B	3/4"	22.7	70.1
H0104B	1"	29.9	72.8
H0105B	1-1/4"	38.7	78.6
H0106B	1-1/2"	43.5	79.3
H0107B	2"	55.8	95.1
H0108B	2-1/2"	64	98
H0109B	3"	76.5	98

AISI 316 STAINLESS STEEL THRU-HULL




Code	D1	D2 mm	H mm
H33102	1/2"	14	87
H33103	3/4"	18	96
H33104	1"	24.5	95.5
H33105	1-1/4"	32	87
H33106	1-1/2"	38	97

AISI 316 STAINLESS STEEL THRU-HULL




Code	Thread
H42283	1"
H42284	1-1/4"
H42285	1-1/2"

THRU HULL FOR HOSE



Code	D	H mm
H0101D	3/8"	53.2
H0102D	1/2"	61
H0103D	3/4"	70.1
H0104D	1"	72.8
H0105D	1-1/4"	78.6
H0106D	1-1/2"	79.3
H0107D	2"	95.1


AISI 316 STAINLESS STEEL THRU-HULL






World Made Limited

AISI 316 STAINLESS STEEL THRU-HULL




Code	D1	D2 mm	H mm
H0101E	3/8"	14	53.2
H0102E	1/2"	18.3	61
H0103E	3/4"	22.7	70.1
H0104E	1"	29.9	72.8
H0105E	1-1/4"	38.7	78.6
H0106E	1-1/2"	43.5	79.3
H0107E	2"	55.8	95.1

AISI 316 STAINLESS STEEL COCKPIT



Code	A mm	B mm	C mm	D mm
H11830	70	81.7	28.5	38

AISI 316 STAINLESS STEEL OVAL COCKPIT DRAIN



Code	L mm	B mm	H mm	D mm
H11860	190	92	85	38

AISI 316 STAINLESS STEEL COCKPIT



Code	A mm	H mm	D mm
H11840	92	117	38

AISI 316 STAINLESS STEEL COCKPIT



Code	D mm	H mm
H11850	51	79.6

AISI 316 STAINLESS STEEL COCKPIT



Code	D1 mm	D2 mm	H mm
H10125-57	57.6	37.1	57.2


AISI 316 STAINLESS STEEL FUEL TANK VENT



Code	D1 mm	D2 mm	H1 mm	H2 mm	R mm
H0912	27	16.5	57	29	

Code	D	H mm
H0101C	3/8"	65.5
H0102C	1/2"	65.8
H0103C	3/4"	81.3
H0104C	1"	76.4
H0105C	1-1/4"	79.4
H0106C	1-1/2"	80.5
H0107C	2"	90
H0108C	2-1/2"	125
H0109C	3"	130.5

AISI 316 STAINLESS STEEL INTAKE STRAINER



Code	D	H mm
H11901	1/2"	65
H11902	3/4"	65
H11903	1"	75
H11904	1-1/4"	79
H11905	1-1/2"	83
H11906	2"	90

AISI 316 STAINLESS STEEL SCUPPER



STAINLESS STEEL CASE AND BLACK PLASTIC BASE

Code	L mm	W mm	H mm
H9140	145	111	81




OVAL VENT W/DECK PLATE made of Investment Cast 316 Stainless Steel

Code	Plate O.D.	Plate I.D.	Height
H01360RW	5-1/2"	4"	10"



Code	D1 mm	D2 mm	H1 mm	H2 mm
H38401	35	40	20	75
H38402	40	45	20	75
H38403	45	50	21	80
H38404	55	60	21	80
H38406	67	75	19	100
H38407	73	90	19	110
H38408	90	100	23.5	120
H38409	100	110	23.5	120
H38410	113	125	23.5	140

AISI 316 STAINLESS STEEL EXHAUST VENT



AISI316 STAINLESS STEEL VENT



Code	Length mm	W mm	H mm
H146225	223	159	118

AISI 316 STAINLESS STEEL CABLE GLAND




Code	D1 mm	D2 mm	H1 mm	H2 mm	R mm
H35100	35.5	30.1	110	30	46.2



World Made Limited

AISI 316 STAINLESS STEEL CABLE GLAND



Code	D1 mm	D2 mm	H1 mm	R mm
H35101	35.5	30.1	70	50
H35102	41	35	85	65

AISI 316 STAINLESS STEEL TANK VENT



Code	D mm	H1 mm	H2 mm	H3 mm
H28780	16	84	28	70

AISI 316 STAINLESS STEEL TANK VENT



Code	D mm	H1 mm	H2 mm	H3 mm
H28781	16	64	28	49

AISI 316 STAINLESS STEEL TANK VENT




Code	D mm	H1 mm	H2 mm	H3 mm
H28790	16	84	28	70

AISI 316 STAINLESS STEEL TANK VENT



Code	D mm	H1 mm	H2 mm	H3 mm
H28791	16	64	28	49

WATER FILER



Outlets-Abflub-ebouts mesures-Made-mesures mm

Code	L	A	B	DF	DF	H
H65302	3/4"	180	123	96	86	70
H65303	1"	180	123	96	86	70
H65304	1-1/4"	200	143	147	105	100
H65305	1-1/2"	200	143	147	105	100
H65306	2"	200	160	155	125	115

AISI 304 STAINLESS STEEL VENT



Code	D mm
H00579	150
H00578	125
H00560	121
H00561	103

AISI 304 STAINLESS STEEL VENT



Code	D mm
H00571	102
H0057E	121
H0056J	126

AISI 304 STAINLESS STEEL VENT



Code	D mm
H9246	100

AISI 304 STAINLESS STEEL VENT



Code	D mm
H9247	227

AISI 316 STAINLESS STEEL VENT COVER




Code	L mm	W mm	H mm
H0045A	127	66	66
H0045B	120	120	120

PLASTIC VENT COVER



Code	L mm	W mm	H mm	Color
H561	77	68	28	White Or Black
H563	64	59	26	White Or Black

END COVER




Code	For pipe mm.
H12001	83x80x35.5

AISI 304 STAINLESS STEEL VENT



Code	L mm	W mm
H00151	127	66
H00152	120	120
H00153	230	115
H00154	360	185
H00155	228	127

AISI 304 STAINLESS STEEL VENT



Code	L mm	W mm
H501	127	88
H569	91	88
H9283	260	88



World Made Limited

油液口 Deck Filler

AISI 316 STAINLESS STEEL DECK FILLER



Code	Model	D mm	H mm
H0840	FUEL	38	80
H0841	FUEL	50	80
H0842	DIESEL	38	80
H0843	DIESEL	50	80
H0844	WASTE	38	80
H0845	WASTE	50	80
H0846	WATER	38	80
H0847	WATER	50	80
H0848	GAS	38	80
H0849	GAS	50	80

AISI 316 STAINLESS STEEL DECK FILLER



Code	Model	D mm	H mm
H0850	FUEL	38	78
H0851	FUEL	50	97
H0852	DIESEL	38	78
H0853	DIESEL	50	97
H0854	WATER	38	78
H0855	WATER	50	97
H0856	WASTE	38	78
H0857	WASTE	50	97

AISI 316 STAINLESS STEEL DECK FILLER



Code	Model	D mm	H mm
H0850R	FUEL	38	87.1
H0851R	FUEL	50	87.1
H0852R	DIESEL	38	87.1
H0853R	DIESEL	50	87.1
H0854R	WATER	38	87.1
H0855R	WATER	50	87.1
H0856R	WASTE	38	87.1
H0857R	WASTE	50	87.1

AISI 316 STAINLESS STEEL DECK FILLER



Code	Model	D mm	H mm
H0860	FUEL	38	87.1
H0861	FUEL	50	87.1
H0862	DIESEL	38	87.1
H0863	DIESEL	50	87.1
H0864	WATER	38	87.1
H0865	WATER	50	87.1
H0866	WASTE	38	87.1
H0867	WASTE	50	87.1

AISI 316 STAINLESS STEEL DECK FILLER



Code	Model	D mm	H mm
H0906	WATER	33	85
H0908	DIESEL	54	80
H0910	WASTE	50	98

AISI 316 STAINLESS STEEL DECK FILLER



Code	Model	D mm	H mm
H0900	FUEL	50	87
H0901	WATER	38	86
H0902	DIESEL	50	87
H0903	WASTE	38	86
H0904	FUEL	38	86

Ball Valve & Pipe Fitting 球阀和管件


Code	Thread
H12401	3/8"
H12402	1/2"
H12403	3/4"
H12404	1"
H12405	1-1/4"
H12406	1-1/2"
H12407	2"

90° PIPE ELBOWS MALE-FEMALE



Code	Thread	Hose adapter mm.
H19401	1/2"	19
H19402	3/4"	25
H19403	1"	30
H19404	1-1/2"	39
H19405	1-1/2"	44
H19406	2"	56

HOSE ADAPTER FEMALE 90°




Code	Thread
H12301	3/8"
H12302	1/2"
H12303	3/4"
H12304	1"
H12305	1-1/4"
H12306	1-1/2"
H12307	2"

PIPE CAP




Code	Thread
H31801	3/8"
H31802	1/2"
H31803	3/4"
H31804	1"
H31805	1-1/4"
H31806	1-1/2"

TEE PIPE FEMALE-FEMALE-FEMALE



Code	Thread	Hose adapter mm.
H19604	1/2"	20
H19606	3/4"	25
H19608	1"	30
H19610	1-1/4"	38

HOSE ADAPTER 90° MALE




Code	Thread
H32601	3/8"
H32602	1/2"
H32603	3/4"
H32604	1"
H32605	1-1/4"
H32606	1-1/2"
H32607	2"

90° PIPE ELBOWS FEMALE-FEMALE



Code	Thread	Hose adapter mm.
H30600	3/8"	12
H30601	3/8"	15
H30602	1/2"	15
H30603	1/2"	20
H30604	3/4"	20
H30605	3/4"	25
H30606	1"	25
H30607	1"	30
H30608	1-1/4"	35
H30609	1-1/4"	40
H30610	1-1/2"	45
H30611	2"	50
H30612	2"	60
H30613	2-1/2"	70
H30614	3"	78
H30615	1-1/4"	38
H30619	1-1/2"	40

MALE HOSE CONNECTOR






World Made Limited

DOUBLE PIPE NIPPLES




Code	Thread
H12501	3/8"
H12502	1/2"
H12503	3/4"
H12504	1"
H12505	1-1/4"
H12506	1-1/2"
H12507	2"

DOUBLE PIPE NIPPLES



Code	Thread
H72101	3/8"
H72102	1/2"
H72103	3/4"
H72104	1"
H72105	1-1/4"
H72106	1-1/2"
H72107	2"
H72108	2-1/2"
H72109	3"

HEX PIPE REDUCING COUPLING




Code	Thread
H32101	3/8"x1/4"
H32102	1/2"x3/8"
H32103	3/4"x1/2"
H32104	1"x3/4"
H32105	1-1/4"x1"
H32106	1-1/2"x1/4"
H32107	2"x1-1/2"
H32108	2-1/2"x2"
H32109	3"x2-1/2"

FEMALE HOSE CONNECTOR




Code	Thread	Hose adapter mm.
H21001	3/8"	15
H21002	1/2"	15
H21003	1/2"	20
H21004	3/4"	20
H21005	3/4"	25
H21006	1"	25
H21007	1"	30
H21008	1-1/4"	35
H21009	1-1/4"	40
H21010	1-1/2"	45
H21011	2"	50

PIPE ELBOWS FEMALE-FEMALE



Code	Thread
H22001	3/8"
H22002	1/2"
H22003	3/4"
H22004	1"
H22005	1-1/4"
H22006	1-1/2"
H22007	2"

PIPE COUPLING



Code	Thread
H37001	3/8"
H37002	1/2"
H37003	3/4"
H37004	1"
H37005	1-1/4"
H37006	1-1/2"
H37007	2"

Hose Clamp

喉箍

MINI AMERICAN TYPE WORM DRIVE HOSE CLAMP



Code	SAE Code	Band Size mm	Size mm	Size Inch
HC0101	4	8	6-16	1/4"-5/8"
HC0102	6	8	8-22	5/16"-7/8"
HC0103	8	8	11-25	7/16"-1"
HC0104	10	8	14-27	9/16"-1-1/16"
HC0105	12	8	17-32	1-1/16"-1-1/4"
HC0106	16	8	21-38	1-3/16"-1-1/2"
HC0107	20	8	21-44	1-3/16"-1-3/4"
HC0108	24	8	27-51	1-1/16"-2"
HC0109	28	8	33-57	1-5/16"-2-1/4"
HC0110	32	8	40-63	1-9/16"-2-1/2"
HC0111	36	8	46-70	1-13/16"-2-3/4"
HC0112	40	8	52-76	2-1/16"-3"
HC0113	44	8	59-82	2-5/16"-3-1/4"
HC0114	48	8	65-89	2-9/16"-3-1/2"

AMERICAN TYPE WORM DRIVE HOSE CLAMP



Code	SAE Code	Band Size mm	Size mm	Size Inch
HC0201	6	12.7	11-20	3/8"-7/8"
HC0202	8	12.7	13-23	7/16"-1"
HC0203	10	12.7	14-27	9/16"-1-1/16"
HC0204	12	12.7	18-32	1-1/16"-1-1/4"
HC0205	16	12.7	21-38	1-3/16"-1-1/2"
HC0206	20	12.7	21-44	1-3/16"-1-3/4"
HC0207	24	12.7	27-51	1-1/16"-2"
HC0208	28	12.7	33-57	1-5/16"-2-1/4"
HC0209	32	12.7	40-64	1-9/16"-2-1/2"
HC0210	36	12.7	46-70	1-13/16"-2-3/4"
HC0211	40	12.7	52-76	2-1/16"-3"
HC0212	44	12.7	59-83	2-5/16"-3-1/4"
HC0213	48	12.7	65-89	2-9/16"-3-1/2"
HC0214	52	12.7	71-95	2-13/16"-3-3/4"
HC0215	56	12.7	78-102	3-1/16"-4"
HC0216	60	12.7	84-108	3-5/16"-4-1/4"
HC0217	64	12.7	90-114	3-9/16"-4-1/2"
HC0218	72	12.7	103-127	4-1/8"-5"
HC0219	80	12.7	117-140	4-5/8"-5-1/2"
HC0220	88	12.7	130-152	5-1/8"-6"
HC0221	96	12.7	141-165	5-5/8"-6-1/2"
HC0222	104	12.7	157-178	6-1/8"-7"

GERMANY TYPE HOSE CLAMP



Code	Band Size mm	Size mm
HC0401	12	12-20
HC0402	12	16-27
HC0403	12	20-32
HC0404	12	25-40
HC0405	12	30-45
HC0406	12	35-50
HC0407	12	40-60
HC0408	12	50-70
HC0409	12	60-80
HC0410	12	70-90
HC0411	12	80-100
HC0412	12	90-110
HC0413	12	100-120
HC0414	12	110-130
HC0415	12	120-140
HC0416	12	130-150
HC0417	12	140-160
HC0418	12	150-170
HC0419	12	160-180
HC0420	12	170-190

EUROPEAN TYPE HOSE CLAMP



Code	Band Size mm	Size mm
HC0501	15.8	25-45
HC0502	15.8	32-54
HC0503	15.8	45-67
HC0504	15.8	54-79
HC0505	15.8	70-92
HC0506	15.8	83-105
HC0507	15.8	95-118
HC0508	15.8	108-130
HC0509	15.8	121-143
HC0510	15.8	133-156
HC0511	15.8	146-168
HC0512	15.8	159-181
HC0513	15.8	172-194
HC0514	15.8	184-206
HC0515	15.8	197-219
HC0516	15.8	210-232



World Made Limited

钢丝绳和索具

WIRE ROPE & RIGGING

QUALITY FIRST, CUSTOMERS FIRST

Wire Rope 钢丝绳

WIRE ROPE 1X19



AISI 304/316 Stainless Steel

Code	Dia. (mm)	kg / 100m
H01020	2	2.04
H01025	2.5	3.19
H01030	3	4.59
H01040	4	8.16
H01050	5	12.75
H01060	6	18.35
H01080	8	32.63
H01100	10	50.99
H01120	12	73.50

WIRE ROPE 7X7



AISI 304/316 Stainless Steel

Code	Dia. (mm)	kg / 100m
H02020	2	1.62
H02025	2.5	2.53
H02030	3	3.64
H02040	4	6.48
H02050	5	10.12
H02060	6	14.57
H02080	8	25.91
H02100	10	40.50
H02120	12	58.00

WIRE ROPE 7X19



AISI 304/316 Stainless Steel

Code	Dia. (mm)	kg / 100m
H03020	2	1.57
H03025	2.5	2.45
H03030	3	3.53
H03040	4	6.28
H03050	5	9.81
H03060	6	14.13
H03080	8	25.12
H03100	10	40.00
H03120	12	57.00

WIRE ROPE 7X7 COATED BY PLASTIC



AISI 304/316 Stainless Steel (PVC, NYLON, PP or PE)

Code	Dia. Of Rope mm
H04015	1.5
H04020	2
H04025	2.5
H04030	3
H04040	4
H04050	5
H04060	6
H04080	8

WIRE ROPE 7X19 COATED BY PLASTIC




AISI 304/316 Stainless Steel (PVC, NYLON, PP or PE)

Code	Dia. Of Rope mm
H05015	1.5
H05020	2
H05025	2.5
H05030	3
H05040	4
H05050	5
H05060	6
H05080	8


Shackle 卸扣

AISI 304/316 STAINLESS STEEL EUROPEAN D SHACKLE



Code	Size mm	A mm	B mm	C mm	D mm	Wt lbs
H-0901-0004	4	4	4	8	16	150
H-0901-0005	5	5	5	10	20	240
H-0901-0006	6	6	6	12	24	340
H-0901-0008	8	8	8	16	32	600
H-0901-0010	10	10	10	20	40	750
H-0901-0012	12	12	12	24	48	1000
H-0901-0014	14	14	14	28	56	1350
H-0901-0016	16	16	16	32	64	2000
H-0901-0018	18	18	18	36	72	2750
H-0901-0020	20	20	20	40	80	3000
H-0901-0022	22	22	22	44	88	3600
H-0901-0025	25	25	25	50	100	4500

AISI 304/316 STAINLESS STEEL EUROPEAN BOW SHACKLE




Code	Size mm	A mm	B mm	C mm	D mm	Wt lbs
H-0902-0004	4	4	4	8	116	150
H-0902-0005	5	5	5	10	20	240
H-0902-0006	6	6	6	12	24	340
H-0902-0008	8	8	8	16	32	600
H-0902-0010	10	10	10	20	40	750
H-0902-0012	12	12	12	24	48	1000
H-0902-0014	14	14	14	28	56	1350
H-0902-0016	16	16	16	32	64	2000
H-0902-0018	18	18	18	36	72	2750
H-0902-0020	20	20	20	40	80	3000
H-0902-0022	22	22	22	44	88	3600
H-0902-0025	25	25	25	50	100	4500

AISI 304/316 STAINLESS STEEL LONG D SHACKLE



Code	Size mm	A mm	B mm	C mm	D mm	Wt lbs
H-0903-0004	4	4	4	8	32	150
H-0903-0005	5	5	5	10	40	240
H-0903-0006	6	6	6	12	48	340
H-0903-0008	8	8	8	16	64	600
H-0903-0010	10	10	10	20	80	750
H-0903-0012	12	12	12	24	96	1000
H-0903-0014	14	14	14	28	112	1350
H-0903-0016	16	16	16	32	128	2000
H-0903-0018	18	18	18	36	144	2750
H-0903-0020	20	20	20	40	160	3000
H-0903-0022	22	22	22	44	176	3600

AISI 304/316 STAINLESS STEEL TWIST SHACKLE




Code	Size mm	B mm	C mm	D mm
H-0904-0004	4	4	8	24
H-0904-0005	5	5	10	30
H-0904-0006	6	6	12	36
H-0904-0008	8	8	16	48
H-0904-0010	10	10	20	60
H-0904-0012	12	12	24	72




World Made Limited

AISI 304/316 STAINLESS STEEL WIDE D SHACKLE




Code	Size mm	A mm	B mm	C mm	D mm	W lbs
H-0905-0005	5	5	5	25	22.5	230
H-0905-0006	6	6	6	24	36	350
H-0905-0008	8	8	8	28	36	600
H-0905-0010	10	10	10	40	60	680
H-0905-0012	12	12	12	48	72	1000

AISI 304/316 STAINLESS STEEL CHAIN SHACKLE US TYPE




Code	Size inch	A inch	B inch	C inch	D inch	W lbs
H-0906-0005	3/16"	3/16"	1/4"	0.38"	0.75"	300
H-0906-0006	1/4"	1/4"	5/16"	0.47"	0.88"	450
H-0906-0008	5/16"	5/16"	3/8"	0.53"	1.03"	650
H-0906-0010	3/8"	3/8"	7/16"	0.66"	1.25"	1000
H-0906-0011	7/16"	7/16"	1/2"	0.75"	1.44"	1500
H-0906-0012	1/2"	1/2"	5/8"	0.81"	1.63"	2200
H-0906-0016	5/8"	5/8"	3/4"	1.05"	2"	3000
H-0906-0019	3/4"	3/4"	7/8"	1.25"	2.38"	4500
H-0906-0022	7/8"	7/8"	1"	1.44"	2.81"	6000
H-0906-0025	1"	1"	1-1/8"	1.69"	3.19"	8000
H-0906-0028	1-1/8"	1-1/8"	1-1/4"	1.81"	3.58"	10500

AISI 304/316 STAINLESS STEEL BOLT CHAIN SHACKLE US TYPE




Code	Size inch	A inch	B inch	C inch	D inch	W lbs
H-0907-0005	3/16"	3/16"	1/4"	0.38"	0.75"	300
H-0907-0006	1/4"	1/4"	5/16"	0.47"	0.88"	450
H-0907-0008	5/16"	5/16"	3/8"	0.53"	1.03"	650
H-0907-0010	3/8"	3/8"	7/16"	0.66"	1.25"	1000
H-0907-0011	7/16"	7/16"	1/2"	0.75"	1.44"	1500
H-0907-0012	1/2"	1/2"	5/8"	0.81"	1.63"	2200
H-0907-0016	5/8"	5/8"	3/4"	1.05"	2"	3000
H-0907-0019	3/4"	3/4"	7/8"	1.25"	2.38"	4500
H-0907-0022	7/8"	7/8"	1"	1.44"	2.81"	6000
H-0907-0025	1"	1"	1-1/8"	1.69"	3.19"	8000
H-0907-0028	1-1/8"	1-1/8"	1-1/4"	1.81"	3.58"	10500

AISI 304/316 STAINLESS STEEL ANCHOR SHACKLE US TYPE



Code	Size inch	A inch	B inch	C inch	D inch	W lbs
H-0908-0005	3/16"	3/16"	1/4"	0.38"	0.88"	300
H-0908-0006	1/4"	1/4"	5/16"	0.47"	1.13"	450
H-0908-0008	5/16"	5/16"	3/8"	0.53"	1.22"	650
H-0908-0010	3/8"	3/8"	7/16"	0.66"	1.44"	1000
H-0908-0011	7/16"	7/16"	1/2"	0.75"	1.69"	1500
H-0908-0012	1/2"	1/2"	5/8"	0.81"	1.88"	2200
H-0908-0016	5/8"	5/8"	3/4"	1.05"	2.38"	3000
H-0908-0019	3/4"	3/4"	7/8"	1.25"	2.81"	4500
H-0908-0022	7/8"	7/8"	1"	1.44"	3.31"	6000
H-0908-0025	1"	1"	1-1/8"	1.69"	3.75"	8000
H-0908-0028	1-1/8"	1-1/8"	1-1/4"	1.81"	4.25"	10500


AISI 304/316 STAINLESS STEEL BOLT ANCHOR SHACKLE US TYPE



Code	Size inch	A inch	B inch	C inch	D inch	W lbs
H-0909-0005	3/16"	3/16"	1/4"	0.38"	0.88"	300
H-0909-0006	1/4"	1/4"	5/16"	0.47"	1.13"	450
H-0909-0008	5/16"	5/16"	3/8"	0.53"	1.22"	650
H-0909-0010	3/8"	3/8"	7/16"	0.66"	1.44"	1000
H-0909-0011	7/16"	7/16"	1/2"	0.75"	1.69"	1500
H-0909-0012	1/2"	1/2"	5/8"	0.81"	1.88"	2200
H-0909-0016	5/8"	5/8"	3/4"	1.05"	2.38"	3000
H-0909-0019	3/4"	3/4"	7/8"	1.25"	2.81"	4500
H-0909-0022	7/8"	7/8"	1"	1.44"	3.31"	6000
H-0909-0025	1"	1"	1-1/8"	1.69"	3.75"	8000
H-0909-0028	1-1/8"	1-1/8"	1-1/4"	1.81"	4.25"	10500


Swivel 旋转环

AISI 304/316 STAINLESS STEEL SWIVEL EYE & EYE




Code	Size(mm)	D(mm)	B(mm)	H(mm)	L(mm)	W(Lbs)
H-0910-0005	5	5	13	13	59	300
H-0910-0006	6	6	14	14	65	600
H-0910-0008	8	8	19	19	92	1100
H-0910-0010	10	10	22	25	117	1540
H-0910-0013	13	13	32	33	152	2640
H-0910-0016	16	16	38	41	187	4750
H-0910-0019	19	19	41	51	216	7000
H-0910-0022	22	22	47	51	235	8000
H-0910-0025	25	25	64	65	279	10000

AISI 304/316 STAINLESS STEEL SWIVEL JAW & EYE



Code	Size(mm)	D(mm)	B(mm)	H(mm)	L(mm)	W(Lbs)
H-0911-0006	6	13	13	11	67	600
H-0911-0008	8	16	16	16	92	1100
H-0911-0010	10	19	19	22	117	1540
H-0911-0013	13	25	25	28	152	2640
H-0911-0016	16	32	32	35	187	4750
H-0911-0019	19	38	38	41	218	7000

AISI 304/316 STAINLESS STEEL SWIVEL JAW & JAW



Code	Size(mm)	D(mm)	B(mm)	H(mm)	L(mm)	W(Lbs)
H-0912-0006	6	13	13	11	67	600
H-0912-0008	8	16	16	16	92	1100
H-0912-0010	10	19	19	22	117	1540
H-0912-0013	13	25	25	28	152	2640
H-0912-0016	16	32	32	35	187	4750
H-0912-0019	19	38	38	41	218	7000


Rigging Screw & Turnbuckle 花兰

AISI 304/316 STAINLESS STEEL RIGGING SCREW FORK & FORK



Code	Thread Size	A mm	D mm	H mm	L1 mm	L2 mm	KG/100	B.L. KG.
H-0101-0004	M4	5.5	4	8	110	170	3.6	500
H-0101-0005	M5	6.5	5	10	130	190	5.6	800
H-0101-0006	M5	7.5	5	9	130	190	4.7	800
H-0101-0006	M6	7.5	6	10	150	220	8.6	1300
H-0101-0006	M6	8	6	10	150	220	8.3	1250
H-0101-0008	M8	11	8	11	165	240	15.5	2350
H-0101-0010	M10	12	9	14	190	280	28	3500
H-0101-0012	M12	14	12	20	245	360	53	5100
H-0101-0014	M14	15	12	22	270	390	64.5	5900
H-0101-0016	M16	17	16	26	310	450	118	8000
H-0101-0020	M20	20	19	30	360	510	203	13000
H-0101-0022	M22	30	22	46.5	472	653	448	17000
H-0101-0024	M24	30	25	49	520	750	638	20000
H-0101-0027	M27	34	28	54	595	830	752	27000
H-0101-0030	M30	40	32	62	660	915	948	31000
H-0101-0036	M36	44	36	70	730	1000	1366	43000

AISI 304/316 STAINLESS STEEL RIGGING SCREW FORK & TERMINAL



Code	Thread Size	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	KG/100	B.L. KG.
H-0102-0402	M4	2	5.5	4	8	2.2	4.8	24	125	150	3.3	500
H-0102-0502	M5	2	6.5	5	10	2.2	5.5	32	155	215	5	800
H-0102-0525	M5	2.5	6.5	5	10	2.7	5.5	32	155	215	5	800
H-0102-0532	M5	3.2	6.5	5	10	3.5	6.35	39	180	220	4.6	800
H-0102-0603	M6	3	7.5	6	10	3.3	6.35	39	175	245	8	1250
H-0102-0632	M6	3.2	7.5	6	10	3.5	6.35	39	175	245	8	1250
H-0102-0604	M6	4	7.5	6	10	4.3	7.5	45	185	255	8.5	1250
H-0102-0804	M8	4	11	8	11	4.3	7.5	45	200	275	14	1300
H-0102-0805	M8	5	11	8	11	5.3	9	52	205	280	15	2350
H-0102-1005	M10	5	12	9	14	5.3	9	52	230	320	25.5	2350
H-0102-1006	M10	6	12	9	14	6.4	12.6	64	245	335	29.5	3500
H-0102-1206	M12	6	14	12	20	6.4	12.6	64	285	400	49	5100
H-0102-1208	M12	8	14	12	20	8.4	16	80	305	420	54.5	5100
H-0102-1407	M14	7	15	12	22	7.4	14.2	70	315	435	58	5900
H-0102-1608	M16	8	17	16	26	8.4	16	80	360	500	108	8000
H-0102-1610	M16	10	17	16	26	10.5	18	90	370	510	112	8000
H-0102-2010	M20	10	20	19	30	10.5	18	90	410	560	172	13000
H-0102-2012	M20	12	23	19	35	12.6	20	105	430	580	180	13000
H-0102-2214	M22	14	30	22	46.5	14.7	25	140	545	715	452	17000
H-0102-2416	M24	16	30	25	49	16.9	28	160	625	855	862	20000
H-0102-2719	M27	19	34	28	54	20	34.5	200	735	940	752	27000
H-0102-3022	M30	22	40	32	62	23.2	40.5	230	825	1080	948	31000




World Made Limited

AIISI 304/316 STAINLESS STEEL RIGGING SCREW TERMINAL & TERMINAL




Code	Thread Size	Wire mm	D1mm	D2mm	L3mm	L1mm	L2mm	KG/100	B.L.	KG.
H-0103-0402	M4	2	2.2	4.8	24	145	197	2.3	500kg	
H-0103-0602	M5	2	2.2	5.5	32	178	238	4	800	
H-0103-0625	M5	2.5	2.7	5.5	32	178	238	4	800	
H-0103-0632	M5	3.2	3.5	6.35	39	184	244	4.5	800	
H-0103-0603	M6	3	3.3	6.35	39	204	274	7	1250	
H-0103-0632	M6	3.2	3.5	6.35	39	204	274	7	1250	
H-0103-0604	M6	4	4.3	7.5	45	224	294	7.8	1250	
H-0103-0604	M8	4	4.3	7.5	45	235	305	12	2350	
H-0103-0605	M8	5	5.3	9	52	249	319	13.5	2350	
H-0103-1005	M10	5	5.3	9	52	270	355	22.5	3500	
H-0103-1006	M10	6	6.4	12.6	64	300	385	30	3500	
H-0103-1206	M12	6	6.4	12.6	64	330	445	43	5100	
H-0103-1208	M12	8	8.4	16	80	370	490	55	5100	
H-0103-1407	M14	7	7.4	14.2	70	365	485	57	5900	
H-0103-1608	M16	8	8.4	16	80	418	548	92	8000	
H-0103-1610	M16	10	10.5	18	90	438	568	100	8000	
H-0103-2010	M20	10	10.5	18	90	465	620	145	13000	
H-0103-2012	M20	12	12.6	20	105	495	650	151	13000	
H-0103-2214	M22	14	14.7	25	140	645	820	378	17000	
H-0103-2416	M24	16	16.9	28	180	745	980	553	20000	
H-0103-2719	M27	19	20	34.5	200	880	1115	801	27000	
H-0103-3022	M30	22	23.2	40.5	230	985	1240	1179	31000	
H-0103-3626	M36	26	27.5	46	280	1130	1400	1589	43000	

AIISI 304/316 STAINLESS STEEL RIGGING SCREW MACHINED FORK & FORK




Code	Thread Size	A mm	D mm	H mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-0104-0004	M4	5.5	4	8	115	175	4	500	
H-0104-0005	M5	6.5	5	10	135	195	6	800	
H-0104-0006	M6	7.5	6	10	160	230	10.5	1250	
H-0104-0008	M8	11	8	11	180	255	21	2350	
H-0104-0010	M10	12	9	14	210	300	35.5	3500	
H-0104-0012	M12	14	12	20	270	380	66	5100	
H-0104-0014	M14	15	12	22	295	415	74	5900	
H-0104-0016	M16	17	16	26	340	480	150	8000	
H-0104-0020	M20	20	19	30	370	520	320	13000	
H-0104-0022	M22	22	22	35	455	635	850	17000	
H-0104-0024	M24	25	25	38	530	760	1150	20000	
H-0104-0027	M27	30	28	41	580	810	1800	25500	
H-0104-0030	M30	35	32	52	655	915	2610	31000	
H-0104-0036	M36	35	35	52	695	970	3340	43000	

AIISI 304/316 STAINLESS STEEL RIGGING SCREW MACHINED FORK & TERMINAL




Code	Thread Size	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-0105-0402	M4	2	5.5	4	8	2.2	4.8	24	130	190	3	500	
H-0105-0502	M5	2	6.5	5	10	2.2	5.5	32	150	210	5	800	
H-0105-0625	M5	2.5	6.5	5	10	2.7	5.5	32	150	210	5	800	
H-0105-0603	M6	3	7.5	6	10	3.3	6.35	39	180	250	8.5	1250	
H-0105-0604	M6	4	7.5	6	10	4.3	7.5	45	190	260	9.5	1250	
H-0105-0804	M8	4	11	8	11	4.3	7.5	45	210	285	16	2350	
H-0105-0805	M8	5	11	8	11	5.3	9	52	215	290	16.5	2350	
H-0105-1005	M10	5	12	9	14	5.3	9	52	240	330	28	3500	
H-0105-1006	M10	6	12	9	14	6.4	12.6	64	255	345	31.5	3500	
H-0105-1206	M12	6	14	12	20	6.4	12.6	64	300	410	55	5100	
H-0105-1208	M12	8	14	12	20	8.4	16	80	320	430	61	5100	
H-0105-1407	M14	7	15	12	22	7.4	14.2	70	330	450	68	5900	
H-0105-1608	M16	8	17	16	26	8.4	16	80	370	510	120	8000	
H-0105-1610	M16	10	17	16	26	10.5	18	90	380	520	124	8000	
H-0105-2010	M20	10	20	19	30	10.5	18	90	410	560	237	13000	
H-0105-2012	M20	12	20	19	30	12.6	20	105	425	575	242	13000	
H-0105-2214	M22	14	22	22	35	14.7	25	140	540	720	565	17000	
H-0105-2416	M24	16	25	25	38	16.9	28	160	630	860	620	20000	
H-0105-2719	M27	19	30	28	41	20	34.5	200	720	950	1185	25500	
H-0105-3022	M30	22	35	32	52	23.2	40.5	230	820	1080	1675	31000	
H-0105-3626	M36	26	35	35	52	27.5	46	280	910	1185	2242	43000	

AIISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & TOGGLE----T STYLE




Code	Thread Size	A mm	D mm	H mm	L1 mm	L2 mm	KG/100	B.L.	KG.
HA0106-0006	M6	7	6	15	160	230	10	1250	
HA0106-0008	M8	10	8	20	190	265	18	2350	
HA0106-0010	M10	12	9	25	230	320	37.5	3500	
HA0106-0012	M12	13	12	30	280	390	63	5100	
HA0106-0016	M16	17	16	40	370	510	137	8000	
HA0106-0020	M20	20	19	45	430	570	223	13000	

AIISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & TOGGLE----EYE STYLE



Code	Thread Size	A mm	D mm	H mm	L1 mm	L2 mm	KG/100	B.L.	KG.
HE0106-0006	M6	8	6	13	195	265	10	1250	
HE0106-0008	M8	10	8	16	245	315	18	2350	
HE0106-0010	M10	12	9	20	290	350	37.5	3500	
HE0106-0012	M12	18	12	25	350	455	63	5100	
HE0106-0016	M16	17	16	29	455	585	137	8000	
HE0106-0020	M20	20	19	30	515	665	223	13000	
HE0106-0022	M22	26	22	35	605	785	452	17000	
HE0106-0024	M24	29	25	40	715	945	662	20000	
HE0106-0027	M27	34	28	46	790	1025	751	25500	
HE0106-0030	M30	40	32	54	875	1135	948	31000	
HE0106-0036	M36	44	36	62	960	1230	1366	43000	

AIISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & TERMINAL----T STYLE



Code	Thread Size	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	KG/100	B.L.	KG.
HA0107-0603	M6	3	7	6	15	3.3	6.35	39	180	250	8.5	1250	
HA0107-0604	M6	4	7	6	15	4.3	7.5	45	190	260	9	1250	
HA0107-0604	M8	4	10	8	20	4.3	7.5	45	210	285	16	2350	
HA0107-0605	M8	5	10	8	20	5.3	9	52	215	290	16.5	2350	
HA0107-1005	M10	5	12	9	25	5.3	9	52	250	340	31	3500	
HA0107-1006	M10	6	12	9	25	6.4	12.6	64	265	355	35	3500	
HA0107-1206	M12	6	13	12	30	6.4	12.6	64	300	410	54	5100	
HA0107-1208	M12	8	13	12	30	8.4	16	80	320	430	60	5100	
HA0107-1608	M16	8	17	16	40	8.4	16	80	390	530	108	8000	
HA0107-1610	M16	10	17	16	40	10.5	18	90	400	540	111	8000	
HA0107-2010	M20	10	20	19	45	10.5	18	90	450	590	172	13000	
HA0107-2012	M20	12	20	19	45	12.6	20	105	465	605	180	13000	

AIISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & TERMINAL----EYE STYLE




Code	Thread Size	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	KG/100	B.L.	KG.
HE0107-0603	M6	3	8	6	13	3.3	6.35	39	200	270	8.5	1250	
HE0107-0604	M6	4	8	6	13	4.3	7.5	45	210	280	9	1250	
HE0107-0604	M8	4	10	8	16	4.3	7.5	45	240	310	16	2350	
HE0107-0605	M8	5	10	8	16	5.3	9	52	250	320	16.5	2350	
HE0107-1005	M10	5	12	9	20	5.3	9	52	280	360	31	3500	
HE0107-1006	M10	6	12	9	20	6.4	12.6	64	295	375	35	3500	
HE0107-1206	M12	6	18	12	25	6.4	12.6	64	340	445	54	5100	
HE0107-1208	M12	8	18	12	25	8.4	16	80	360	465	60	5100	
HE0107-1608	M16	8	20	16	29	8.4	16	80	435	565	108	8000	
HE0107-1610	M16	10	20	16	29	10.5	18	90	445	575	111	8000	
HE0107-2010	M20	10	24	19	30	10.5	18	90	490	640	172	13000	
HE0107-2012	M20	12	24	19	30	12.6	20	105	505	655	180	13000	
HE0107-2214	M22	14	26	22	35	14.7	25	140	625	805	452	17000	
HE0107-2416	M24	16	29	25	40	16.9	28	160	730	960	662	20000	
HE0107-2719	M27	19	34	28	46	20	34.5	200	835	1070	751	25500	
HE0107-3022	M30	22	40	32	54	23.2	40.5	230	930	1190	948	31000	



World Made Limited

AISI 304/316 STAINLESS STEEL RIGGING SCREW EYE & EYE




Code	Thread Size	Amm	Bmm	Dmm	L1mm	L2mm	KG/100	BL	KG
H-0109-0005	M5	3	12	5.5	130	190	4	800	
H-0109-0006	M6	4	14	6.5	140	210	11	1300	
H-0109-0008	M8	5	17	8.5	160	235	14	2350	
H-0109-0010	M10	6	22	10.5	190	280	23	3500	
H-0109-0012	M12	8	25	13	225	340	38	5100	
H-0109-0014	M14	9	28	13	250	370	51	5900	
H-0109-0016	M16	10	31	14.5	275	415	73	8000	
H-0109-0020	M20	15	40	19.5	330	480	105	13000	
H-0109-0022	M22	18	47	23	416	597	354	17000	
H-0109-0024	M24	20	53	26	480	713	670	20000	
H-0109-0027	M27	25	65	28.5	527	759	710	27000	
H-0109-0030	M30	30	70	33	581	861	991	31000	
H-0109-0036	M36	30	80	36	618	892	1288	43000	

AISI 304/316 STAINLESS STEEL RIGGING SCREW EYE & TERMINAL




Code	Thread Size	Wire mm	D mm	D1 mm	D2 mm	L3 mm	L1 mm	L2 mm	KG/100	BL KG
H-0110-0502	M5	2	5.5	2.2	5.5	32	155	215	5.3	800
H-0110-0525	M5	2.5	5.5	2.7	5.5	32	155	215	5.3	800
H-0110-0603	M6	3	6.5	3.3	6.35	39	175	245	13	1300
H-0110-0604	M6	4	6.5	4.3	7.5	45	185	255	13.5	1300
H-0110-0804	M8	4	8.5	4.3	7.5	45	200	275	17.5	2350
H-0110-0805	M8	5	8.5	5.3	9	52	205	280	18.3	2350
H-0110-1005	M10	5	10.5	5.3	9	52	230	320	29	3500
H-0110-1006	M10	6	10.5	6.4	12.6	64	245	335	33	3500
H-0110-1206	M12	6	13	6.4	12.6	64	280	395	50.5	5400
H-0110-1208	M12	8	13	8.4	16	80	300	415	56.5	5400
H-0110-1407	M14	7	13	7.4	14.2	70	310	430	69	5600
H-0110-1608	M16	8	14.5	8.4	16	80	345	485	100	7600
H-0110-1610	M16	10	14.5	10.5	18	90	355	495	104	7600
H-0110-2010	M20	10	19.5	10.5	18	90	400	550	146	13000
H-0110-2012	M20	12	19.5	12.6	20	105	415	565	148	13000
H-0110-2214	M22	14	23	14.7	25	140	527	708	485	17000
H-0110-2416	M24	16	26	16.9	28	160	613	846	871	20000
H-0110-2719	M27	19	28.5	20	34.5	200	702	934	989	27000
H-0110-3022	M30	22	33	23.2	40.5	230	777	1057	1463	31000
H-0110-3626	M36	26	36	27.5	46	280	873	1150	1884	43000

AISI 304/316 STAINLESS STEEL RIGGING SCREW EYE & FORK




Code	Thread Size	Amm	Dmm	Hmm	Bmm	B1mm	L1mm	L2mm	KG/100	BL	KG
H0111-0005	M5	6.5	5	10	3	12	130	190	4.2	800	
H0111-0006	M6	7.5	6	10	4	14	145	215	6.3	1250	
H0111-0008	M8	11	8	11	5	17	165	240	13	2350	
H0111-0010	M10	12	9	14	6	22	190	280	22	3500	
H0111-0012	M12	14	12	20	8	25	235	350	44	5100	
H0111-0014	M14	15	12	22	9	28	260	380	60	5900	
H0111-0016	M16	17	16	26	10	31	295	435	85.5	8000	
H0111-0020	M20	20	19	30	15	40	345	495	169	13000	
H0111-0022	M22	30	22	46.5	18	47	445	625	398	17000	
H0111-0024	M24	30	25	49	20	53	508	740	580	20000	
H0111-0027	M27	34	28	54	25	65	565	800	710	25500	
H0111-0030	M30	40	32	62	30	70	620	875	991	31000	
H0111-0036	M36	44	36	70	30	80	675	945	1288	43000	

AISI 304/316 STAINLESS STEEL EUROPEAN TYPE TURNBUCKLE HOOK & HOOK




Code	Size	L mm	L1 mm	S mm	Weight kg	Wll kg
H-0801-0005	5	70	120	8	0.05	40
H-0801-0006	6	90	150	9	0.08	80
H-0801-0008	8	120	200	11	0.17	140
H-0801-0010	10	150	240	12	0.28	220
H-0801-0012	12	200	310	14	0.52	300
H-0801-0016	16	250	390	16	1.2	600
H-0801-0020	20	300	440	18	2.15	900

AISI 304/316 STAINLESS STEEL EUROPEAN TYPE TURNBUCKLE EYE & EYE




Code	Size	L mm	L1 mm	S mm	Weight kg	Wll kg
H-0802-0005	5	70	120	8	0.05	40
H-0802-0006	6	90	150	10	0.08	80
H-0802-0008	8	120	200	14	0.17	140
H-0802-0010	10	150	240	16	0.28	220
H-0802-0012	12	200	310	18	0.52	300
H-0802-0016	16	250	390	25	1.2	600
H-0802-0020	20	300	440	30	2.15	900

AISI 304/316 STAINLESS STEEL EUROPEAN TYPE TURNBUCKLE HOOK & EYE




Code	Size	L mm	L1 mm	S mm	Weight kg	Wll kg
H-0803-0005	5	70	120	8	0.05	40
H-0803-0006	6	90	150	9	0.08	80
H-0803-0008	8	120	200	11	0.17	140
H-0803-0010	10	150	240	12	0.28	220
H-0803-0012	12	200	310	14	0.52	300
H-0803-0016	16	250	390	16	1.2	600
H-0803-0020	20	300	440	18	2.15	900

AISI 304/316 STAINLESS STEEL EUROPEAN TYPE TURNBUCKLE JAW & JAW




Code	Size	L mm	L1 mm	A mm	H mm	Weight kg	Wll kg
H-0804-0005	5	70	120	6.5	10	0.05	40
H-0804-0006	6	90	140	7.5	10	0.08	80
H-0804-0008	8	120	180	11	11	0.17	140
H-0804-0010	10	150	220	12	14	0.28	220
H-0804-0012	12	200	300	14	20	0.52	300
H-0804-0016	16	250	375	17	26	1.2	600
H-0804-0020	20	300	450	20	30	2.15	900

AISI 304/316 STAINLESS STEEL DIN1480 TURNBUCKLE HOOK & HOOK




Code	Size	L mm	L1 mm	S mm	Weight kg	Wll kg
H-0805-0005	5	90	140	7	0.05	40
H-0805-0006	6	110	170	9	0.08	80
H-0805-0008	8	110	180	10	0.17	140
H-0805-0010	10	125	210	11	0.28	220
H-0805-0012	12	125	240	14	0.52	300
H-0805-0016	16	170	320	18	1.2	600
H-0805-0020	20	200	370	20	2.15	900

AISI 304/316 STAINLESS STEEL DIN1480 TURNBUCKLE EYE & EYE




Code	Size	L mm	L1 mm	A mm	Weight kg	Wll kg
H-0806-0005	5	90	140	8	0.05	40
H-0806-0006	6	110	170	10	0.08	80
H-0806-0008	8	110	180	12	0.17	140
H-0806-0010	10	125	210	14	0.28	220
H-0806-0012	12	125	240	18	0.52	300
H-0806-0016	16	170	320	22	1.2	600
H-0806-0020	20	200	370	25	2.15	900

AISI 304/316 STAINLESS STEEL DIN1480 TURNBUCKLE EYE & HOOK



Code	Size	L mm	L1 mm	S mm	A mm	Weight kg	Wll kg
H-0807-0005	5	90	140	7	8	0.05	40
H-0807-0006	6	110	170	9	10	0.08	80
H-0807-0008	8	110	180	10	12	0.17	140
H-0807-0010	10	125	210	11	14	0.28	220
H-0807-0012	12	125	240	14	18	0.52	300
H-0807-0016	16	170	320	18	22	1.2	600
H-0807-0020	20	200	370	20	25	2.15	900

AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE JAW & JAW




Code	Size(A)	L inch	L1 inch	D inch	E inch	WT lbs	Wll lbs
H-0808-0006	1/4"	4"	7.75"	0.25"	0.44"	0.45	500
H-0808-0008	5/16"	4.5"	9"	0.25"	0.50"	0.65	800
H-0808-0010	3/8"	6"	10.63"	0.31"	0.56"	0.9	1200
H-0808-0012	1/2"	6"	12"	0.38"	0.63"	1.6	2200
H-0808-0016	5/8"	6"	13.5"	0.50"	0.75"	3.05	3500
H-0808-0020	3/4"	6"	15"	0.63"	1"	4.25	5200
H-0808-0025	1"	6"	18"	0.88"	1.25"	10.59	8000
H-0808-0026	1-1/4"	12"	26.63"	1.13"	1.88"	22.32	12500




World Madr Limited

AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE EYE & EYE




Code	Size(A)	L inch	L1 inch	D inch	Wt lbs	Wll lbs
H-0809-0006	1/4"	4"	8"	0.33"	0.3	500
H-0809-0008	5/16"	4.5"	9.25"	0.41"	0.5	800
H-0809-0010	3/8"	6"	11.5"	0.50"	0.85	1200
H-0809-0012	1/2"	6"	13"	0.75"	1.3	2200
H-0809-0016	5/8"	6"	14.5"	0.87"	2.3	3500
H-0809-0020	3/4"	6"	16.25"	1"	3.5	5200
H-0809-0025	1"	6"	20"	1.38"	8.85	8000
H-0809-0032	1-1/4"	12"	28.38"	1.71"	17.6	12500

AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE HOOK & HOOK




Code	Size(A)	L inch	L1 inch	D inch	Wt lbs	Wll lbs
H-0810-0006	1/4"	4"	6.87"	0.39"	0.22	300
H-0810-0008	5/16"	4.5"	7.75"	0.44"	0.35	500
H-0810-0010	3/8"	6"	10.37"	0.52"	0.6	750
H-0810-0012	1/2"	6"	10.50"	0.55"	1.1	1050
H-0810-0016	5/8"	6"	14.25"	0.57"	1.9	1600
H-0810-0020	3/4"	6"	14.25"	0.90"	2.75	2000

AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE EYE & HOOK




Code	Size(A)	L inch	L1 inch	D inch	E inch	Wt lbs	Wll lbs
H-0811-0006	1/4"	4"	7.5"	0.33"	0.39"	0.25	300
H-0811-0008	5/16"	4.5"	8.5"	0.41"	0.44"	0.45	500
H-0811-0010	3/8"	6"	10.75"	0.51"	0.52"	0.67	750
H-0811-0012	1/2"	6"	12"	0.75"	0.55"	1	1050
H-0811-0016	5/8"	6"	13.5"	0.87"	0.57"	2	1600
H-0811-0020	3/4"	6"	15.5"	1"	0.9"	3	2000

AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE EYE & JAW




Code	Size(A)	L inch	L1 inch	D inch	E inch	Wt lbs	Wll lbs
H-0812-0006	1/4"	4"	7.88"	0.33"	0.44"	0.35	500
H-0812-0008	5/16"	4.5"	9.25"	0.41"	0.50"	0.6	800
H-0812-0010	3/8"	6"	11"	0.50"	0.56"	0.9	1200
H-0812-0012	1/2"	6"	12.5"	0.75"	0.63"	1	2200
H-0812-0016	5/8"	6"	14"	0.87"	0.75"	2	3500
H-0812-0020	3/4"	6"	15.63"	1"	1"	4	5200
H-0812-0025	1"	6"	19"	1.38"	1.25"	9.66	8000
H-0812-0032	1-1/4"	12"	27.5"	1.71"	1.88"	19.96	12000

AISI 304/316 STAINLESS STEEL RIGGING SCREW BODY



Code	Size M	D mm	L mm	Kg/100	B.L.K.G.
H-0201-0004	M4	7	70	1.1	500
H-0201-0005	M5	8	80	1.5	800
H-0201-0006	M6	11	95	3.2	1300
H-0201-0008	M8	13	105	5	2350
H-0201-0010	M10	17	125	11	3500
H-0201-0012	M12	21	150	17.5	5400
H-0201-0014	M14	21	165	21	5900
H-0201-0016	M16	26.5	190	38	8000
H-0201-0020	M20	33.5	210	64	13000
H-0201-0022	M22	40	273	117	17000
H-0201-0024	M24	42.4	320	150	20000
H-0201-0027	M27	55	345	243	25500
H-0201-0030	M30	55	380	234	31000
H-0201-0036	M36	64	410	396	43000

AISI 304/316 STAINLESS RIGGING SCREW BODY (INCH SIZE)



Code	Size M	D mm	L mm	Kg/100	B.L.K.G.
H-0202-0006	1/4"	11	92	3	1300
H-0202-0008	5/16"	13	112	6	2350
H-0202-0010	3/8"	17	120	11	3500
H-0202-0012	1/2"	21	150	18	5400
H-0202-0016	5/8"	26.5	192	38.5	8000
H-0202-0020	3/4"	33.5	220	66	13000

Terminal 接线器

AISI 304/316 STAINLESS STEEL WELDED FORK TERMINAL



Code	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	L2 mm	L1 mm	Kg/100	B.L.K.G.
H-A0301-0002	2	5.5	4	8	2.2	5.5	24	55	2.4	500
H-A0301-0005	2.5	8.5	5	10	2.7	5.5	24	55	2.4	500
H-A0301-0003	3	8	5	10	3.3	6.35	28	55	2.5	800
H-A0301-0003	3	7.5	6	10	3.3	6.35	32	65	3	1300
H-A0301-0032	3.2	7.5	5	9	3.5	6.35	38	65	2	800
H-A0301-0004	4	9	6	10	4.3	7.5	37	65	4	1300
H-A0301-0004	4	11	8	11	4.3	7.5	40	77	4.7	2350
H-A0301-0005	5	10	8	12	5.3	9	42	70	6.5	1300
H-A0301-0005	5	12	9	14	5.3	9	57	88	7.4	2350
H-A0301-0006	6	12	10	14	6.3	12.6	51	85	13.5	2350
H-A0301-0006	6	14	12	20	6.4	12.6	63	106	16	4700
H-A0301-0007	7	15	12	22	7.4	14.2	70	116	18	5100
H-A0301-0008	8	17	16	26	8.4	16	85	145	40	7600
H-A0301-0010	10	20	19	30	10.5	18	90	150	49	9800
H-A0301-0012	12	23	19	35	12.6	20	105	195	64	13000
H-A0301-0014	14	30	22	46.5	14.7	25	140	232	117	17000
H-A0301-0016	16	30	25	49	16.9	28	160	264	154	24000
H-A0301-0019	19	34	28	54	20	34.5	323	200	412	27000
H-A0301-0022	22	40	32	62	23.2	40.5	350	230	570	31000
H-A0301-0026	26	44	36	70	27.5	46	430	280	710	43000

AISI 304/316 STAINLESS STEEL FORK TERMINAL




Code	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	L1 mm	L2 mm	Kg/100	B.L. KG.
H-A0302-0003	3	7.5	6	10	3.3	6.5	39	73	4	1300
H-A0302-0004	4	11	8	11	4.3	7.5	45	86	7.3	2350
H-A0302-0005	5	12	9	14	5.3	9	52	100	11	2350
H-A0302-0006	6	14	12	20	6.4	12.5	64	128	23	4700
H-A0302-0007	7	15	12	22	7.4	14.2	70	135	32	5100
H-A0302-0008	8	17	16	26	8.4	16	80	155	50	7600
H-A0302-0010	10	20	19	30	10.5	18	90	174	92	9800
H-A0302-0012	12	20	19	30	12.6	20	105	197	100	13000
H-A0302-0014	14	22	22	35	14.7	25	140	239	170	17000
H-A0302-0016	16	25	25	38	16.9	28	160	271	210	24000
H-A0302-0019	19	30	28	41	20	34.5	200	327	330	27000
H-A0302-0022	22	35	32	52	23.2	40.5	230	377	480	31000
H-A0302-0026	26	35	35	52	27.5	46	280	434	700	43000

AISI 304/316 STAINLESS STEEL FORK TERMINA




Code	Wire mm	A mm	D mm	H mm	D2 mm	D3 mm	L2 mm	L1 mm	Kg/100	B.L. KG.
H-B0302-0004	4	8	8	11	7.5	4.4	82	45	7.3	2350
H-B0302-0005	5	10	9	15	9	5.4	95	55	11	2350
H-B0302-0006	6	12	12	20	12.5	6.4	115	65	23	4700
H-B0302-0008	8	14	16	21	16	8.4	148	90	50	7600
H-B0302-0010	10	16	16	23	17.8	10.4	174	110	112	9800
H-B0302-0012	12	18	18	28	21.4	13.6	219	150	285	13000

AISI 304/316 STAINLESS STEEL THREAD TERMINAL RIGHT/LEFT THREAD



Code	SizeM	Wiremm	Dmm	D1mm	L3mm	L2mm	L1mm	Nmm	KG/100	B.L.K.G.
H-A0401-0402	M4	2	2.2	4.8	24	38	73	3	0.6	50
H-A0401-0502	M5	2	2.2	5.5	32	40	86	4	1.3	800
H-A0401-0525	M5	2.5	2.7	5.5	32	40	86	4	1.3	800
H-A0401-0532	M5	3.2	3.5	6.35	38	40	90	5	1.6	800
H-A0401-0603	M6	3	3.3	6.35	39	48	100	5	2	1250
H-A0401-0632	M6	3.2	3.5	6.35	39	48	100	5	2	1250
H-A0401-0604	M6	4	4.3	7.5	45	48	110	6	2.5	1250
H-A0401-0804	M8	4	4.3	7.5	45	57	117	6	3.8	2350
H-A0401-0805	M8	5	5.3	9	52	57	124	7	4.6	2350
H-A0401-1005	M10	5	5.3	9	52	63	130	7	6.5	3500
H-A0401-1006	M10	6	6.4	12.6	64	63	145	10	10.3	5000
H-A0401-1206	M12	6	6.4	12.6	64	80	162	10	13.5	5100
H-A0401-1208	M12	8	8.4	16	80	80	180	14	19	5100
H-A0401-1407	M14	7	7.4	14.2	70	90	180	12	20	5900
H-A0401-1608	M16	8	8.4	16	80	100	200	14	28	8000
H-A0401-1610	M16	10	10.5	18	90	100	210	15	32	8000
H-A0401-2010	M20	10	10.5	18	90	119	230	15	46	13000
H-A0401-2012	M20	12	12.6	20	105	120	245	17	51	13000
H-A0401-2214	M22	14	14.7	25	140	140	308	23	87	17000
H-A0401-2416	M24	16	16.9	28	160	170	363	25	125	23000
H-A0401-2719	M27	19	20	34.5	200	180	425	30	209	25500
H-A0401-3022	M30	22	23.2	40.5	230	200	480	36	314	31000
H-A0401-3626	M36	26	27.5	46	280	220	550	41	470	43000


AISI 304/316 STAINLESS STEEL THREAD FORK WELDED RIGHT/LEFT THREAD





World Made Limited

AISI 304/316 STAINLESS STEEL THREAD FORK WELDED RIGHT/LEFT THREAD (SPECIAL SIZE)



Code	SizeM	A mm	D mm	H mm	L1 mm	L2 mm	KG/100 mm	B.L.KG.
H-B0402-0005	M5	8	5	10	20	40	1.7	800
H-B0402-0006	M6	9	6	10	25	47	2.2	1300
H-B0402-0008	M8	10	8	12	25	52	4	2350
H-B0402-0010	M10	12	10	14	45	72	7.5	3500

AISI 304/316 STAINLESS STEEL FORK MACHINED RIGHT/LEFT THREAD



Code	SizeM	A mm	D mm	H mm	L1 mm	L2 mm	KG/100 mm	B.L.KG.
H-0403-0004	M4	5.5	4	8	38	55	1.4	500
H-0403-0005	M5	6.5	5	10	42	67	2	800
H-0403-0006	M6	7.5	6	10	48	80	3.8	1300
H-0403-0008	M8	11	8	11	56	90	8	2350
H-0403-0010	M10	12	9	14	63	105	12.2	3500
H-0403-0012	M12	14	12	20	80	135	24	5100
H-0403-0014	M14	15	12	22	90	147	28	5100
H-0403-0016	M16	17	16	26	100	170	55.5	8000
H-0403-0020	M20	20	19	30	119	182	128	13000

AISI 304/316 STAINLESS STEEL THREAD EYE RIGHT/LEFT THREAD




Code	SizeM	A mm	B mm	D mm	L1 mm	L2 mm	KG/100 mm	B.L.KG.
H-0404-0005	M5	3	12	5.5	42	63	2.5	800
H-0404-0006	M6	4	14	6.5	48	65	3.2	1250
H-0404-0008	M8	5	17	8.5	56	78	6.8	2350
H-0404-0010	M10	6	22	10.5	63	90	8.2	3500
H-0404-0012	M12	8	25	13	80	110	10	5100
H-0404-0014	M14	9	28	13	90	124	18.7	5900
H-0404-0016	M16	10	31	14.5	100	133	23.7	8000
H-0404-0020	M20	15	40	19.5	119	164	40.6	13000

AISI 304/316 STAINLESS STEEL THREAD TOGGLE RIGHT/LEFT THREAD - T STYLE



Code	SizeM	A mm	D mm	H mm	L1 mm	L2 mm	KG/100 mm	B.L.KG.
H-A0405-0006	M6	7	6	15	48	80	3.4	1300
H-A0405-0008	M8	10	8	20	56	96	6.6	2350
H-A0405-0010	M10	12	9	25	67	115	13.3	3500
H-A0405-0012	M12	13	12	30	81	140	24.3	5400
H-A0405-0016	M16	17	16	40	103	175	49.5	8000
H-A0405-0020	M20	20	19	45	115	190	79.5	13000

AISI 304/316 STAINLESS STEEL THREAD TOGGLE RIGHT/LEFT THREAD - EYE STYLE



Code	SizeM	A mm	D mm	H mm	L1 mm	L2 mm	KG/100 mm	B.L.KG.
H-B0405-0006	M6	8	6	13	48	88	5	1300
H-B0405-0008	M8	10	8	16	56	105	8	2350
H-B0405-0010	M10	12	9	20	67	128	15	3500
H-B0405-0012	M12	18	12	25	81	154	30.5	5400
H-B0405-0016	M16	17	16	29	103	199	63	8000
H-B0405-0020	M20	20	19	30	115	230	111	13000

AISI 304/316 STAINLESS STEEL EYE TERMINAL



Code	Wire mm	A mm	B mm	D mm	D1 mm	D2 mm	L1 mm	L2 mm	KG/100	B.L.KG.
H-0303-0002	2	3	13	5.4	2.2	5.5	30	48.5	0.9	800
H-0303-0025	2.5	3	13	5.4	2.7	5.5	30	48.5	0.9	800
H-0303-0003	3	4	14	6.5	3.3	6.35	36	55	1.5	1300
H-0303-0004	4	6	18	8.5	4.3	7.5	39	65	2.5	2350
H-0303-0005	5	7	22	10	5.3	9	50	80	4.5	3500
H-0303-0006	6	8	28	12.5	6.4	12.6	62	94	9.5	5600
H-0303-0007	7	9	28	12.5	7.4	14.2	68	105	12.5	6200
H-0303-0008	8	10	32	14.5	8.4	16	85	124	18.2	7600
H-0303-0010	10	12	36	16.4	10.5	18	90	142	25.2	9800
H-0303-0012	12	16	40	19.3	12.6	20	105	160	42.5	13000
H-0303-0014	14	18	47	23	14.7	25	140	206	75.5	17000
H-0303-0016	16	20	53	26	16.9	28	160	232	102	24000
H-0303-0019	19	25	65	28.5	20	34.5	200	302	209	27000
H-0303-0022	22	30	70	33	23.2	40.5	230	348	314	31000
H-0303-0026	26	30	77	36	27.5	46	280	400	425	43000

AISI 304/316 STAINLESS STEEL TOGGLE TERMINAL ---T TOGGLE STYLE




Code	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	L1 mm	L2 mm	KG/100	B.L.KG.
H-A0304-0003	3	7	6	15	3.3	6.35	38	75	3.5	1300
H-A0304-0004	4	10	8	20	4.3	7.5	45	89	6.5	2350
H-A0304-0005	5	12	9	25	5.3	9	51	104	11.8	3500
H-A0304-0006	6	13	12	30	6.4	12.6	64	127	27	4100
H-A0304-0008	8	17	16	40	8.4	16	76	163	37.5	6200
H-A0304-0010	10	20	19	45	10.5	18	89	184	64.5	9800

AISI 304/316 STAINLESS STEEL TOGGLE TERMINAL ---EYE TOGGLE STYLE



Code	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	L1 mm	L2 mm	KG/100	B.L.KG.
H-B0304-0003	3	8	6	13	3.3	6.35	36	81	3.4	1300
H-B0304-0004	4	10	8	16	4.3	7.5	39	94	6.4	2350
H-B0304-0005	5	12	9	20	5.3	9	50	116	13.8	3500
H-B0304-0006	6	18	12	25	6.4	12.6	62	135	27.3	4100
H-B0304-0007	7	18	12	25	7.4	14.2	68	157	35.5	6200
H-B0304-0008	8	17	16	29	8.4	16	85	170	37.5	6200
H-B0304-0010	10	20	19	30	10.5	18	90	192	64.5	9800
H-B0304-0012	12	26	22	35	12.6	20	105	240	103	13000
H-B0304-0014	14	26	22	35	14.7	25	140	277	170	17000
H-B0304-0016	16	29	25	40	16.9	28	160	313	265	24000
H-B0304-0019	19	34	28	46	20	34.5	200	399	570	25500
H-B0304-0022	22	40	32	54	23.2	40.5	230	463	612	31000
H-B0304-0026	26	44	36	62	27.5	46	280	518	750	43000

AISI 304/316 STAINLESS STEEL BUTTON HEAD TERMINAL SWAGE



Code	Wire mm	D mm	D1 mm	D2 mm	L2 mm	L1 mm	L mm	KG/100
H-0305-0003	3	8	5.5	3.5	25	32	35	0.5
H-0305-0004	4	10	6.4	4.4	25	32	35	0.7
H-0305-0005	5	11.5	7.5	5.3	30	37	41	1
H-0305-0006	6	14	9	6.5	40	47	52	2


AISI 304/316 STAINLESS STEEL CONE HEAD TERMINAL



Code	Wire mm	D mm	D1 mm	D2 mm	L2 mm	L1 mm	L mm	KG/100
H-0306-0003	3	8	5.5	3.5	25	32	35	0.5
H-0306-0004	4	10	6.4	4.4	25	32	35	0.7
H-0306-0005	5	11.5	7.5	5.3	30	38	41	1
H-0306-0006	6	14	9	6.5	40	48	52	2


Clip 卡头

AISI 304/316 STAINLESS STEEL DIN741 WIRE ROPE CLIP



Code	Rope(mm)	A (mm)	D1(mm)	L(mm)	H(mm)
H-0705-0002	2	16	M3	10	9
H-0705-0003	3	21	M4	12	10
H-0705-0004	4	22	M4	12	10
H-0705-0005	5	23	M5	13	10
H-0705-0006	6	26	M5	15	11
H-0705-0008	8	30	M6	19	15
H-0705-0010	10	34	M8	22	17
H-0705-0012	12	40	M10	30	21
H-0705-0016	16	50	M12	33	26
H-0705-0019	19	54	M12	38	30
H-0705-0022	22	61	M14	44	34
H-0705-0025	25	65	M14	45	37

AISI 304/316 STAINLESS STEEL US TYPE WIRE ROPE CLIP




Code	Wire	A (mm)	D1(mm)	L(mm)	Weight(kg)
H-0706-0003	1/8"	0.94"	0.22"	0.44"	0.027
H-0706-0005	3/16"	1.16"	0.25"	0.56"	0.05
H-0706-0006	1/4"	1.44"	0.31"	0.86"	0.085
H-0706-0008	5/16"	1.69"	0.38"	0.75"	0.14
H-0706-0010	3/8"	1.94"	0.44"	0.75"	0.215
H-0706-0012	1/2"	2.28"	0.50"	1.00"	0.35
H-0706-0016	5/8"	2.50"	0.56"	1.25"	0.48
H-0706-0019	3/4"	2.84"	0.62"	1.44"	0.7
H-0706-0025	1"	3.47"	0.75"	1.81"	1.16




World Made Limited

AISI 304/316 STAINLESS STEEL SIMPLEX WIRE ROPE CLIP



Code	Rope(mm)	D1 (mm)	B(mm)	H(mm)	L(mm)	Weight(kg)
H-0707-0002	2	M4	12	14	15	0.005
H-0707-0003	3	M4	14	14	18	0.006
H-0707-0004	4	M5	18	17	20	0.011
H-0707-0005	5	M5	20	17	25	0.015
H-0707-0006	6	M6	24	23	30	0.028
H-0707-0008	8	M8	30	27	36	0.05
H-0707-0010	10	M10	35	32	45	0.075


AISI 304/316 STAINLESS STEEL DUPLEX WIRE ROPE CLIP



Code	Wire(mm)	D1 (mm)	B(mm)	H(mm)	L(mm)	Weight(kg)
H-0708-0002	2	M4	12	14	30	0.01
H-0708-0003	3	M4	14	14	36	0.012
H-0708-0004	4	M5	18	17	40	0.022
H-0708-0005	5	M5	20	17	50	0.03
H-0708-0006	6	M6	24	23	60	0.056
H-0708-0008	8	M8	30	27	72	1
H-0708-0010	10	M10	35	32	90	0.15


Thimble 套环

AISI 304/316 STAINLESS STEEL EUROPEAN TYPE THIMBLE



Code	Size(mm)	A (mm)	B(mm)	L(mm)	S(mm)	Weight(kg/100)
H-0709-0002	2	2	7	10	1	0.2
H-0709-0025	2.5	2.5	8	14	1	0.2
H-0709-0003	3	3	10	17	1	0.4
H-0709-0004	4	4	11	18	1	0.5
H-0709-0005	5	5.5	13	20	1.2	0.7
H-0709-0006	6	6.5	15	25	1.2	1
H-0709-0008	8	9	18	33	1.5	1.8
H-0709-0010	10	11	23	41	2	3.8
H-0709-0012	12	14	27	48	2	5
H-0709-0014	14	15	34	53	2.5	10
H-0709-0016	16	17	36	57	3	12.5
H-0709-0018	18	19	40	67	3	16
H-0709-0020	20	22	45	75	4	26.5
H-0709-0022	22	24	52	84	4	32.5
H-0709-0024	24	26	56	96	5	46
H-0709-0028	28	30	65	115	6	80
H-0709-0032	32	34	82	144	6	105
H-0709-0036	36	40	94	170	6	142

AISI 304/316 STAINLESS STEEL G411 US TYPE THIMBLE



Code	Size inch	A inch	B inch	L inch	S inch	Weight(kg/100)
H-0710-0003	1/8"	0.16"	0.69"	1.31"	0.05"	0.7
H-0710-0005	3/16"	0.22"	0.69"	1.31"	0.05"	0.8
H-0710-0006	1/4"	0.28"	0.69"	1.31"	0.05"	0.9
H-0710-0008	5/16"	0.34"	0.81"	1.50"	0.05"	1.2
H-0710-0010	3/8"	0.41"	0.94"	1.63"	0.06"	1.5
H-0710-0012	1/2"	0.53"	1.13"	1.88"	0.08"	7
H-0710-0016	5/8"	0.66"	1.38"	2.25"	0.13"	20
H-0710-0019	3/4"	0.78"	1.63"	2.50"	0.14"	25
H-0710-0022	7/8"	0.94"	1.88"	3.50"	0.16"	47
H-0710-0025	1"	1.06"	2.50"	4.25"	0.16"	57
H-0710-0028	1-1/8"	1.31"	2.75"	4.50"	0.22"	109


AISI 304/316 STAINLESS STEEL G414 US TYPE THIMBLE



Code	Size inch	A inch	B inch	L inch	S inch	Weight(kg/100)
H-0711-0003	3/16"	0.21	0.75	1.37	0.06	2.6
H-0711-0005	1/4"	0.28	0.87	1.62	0.07	3
H-0711-0006	5/16"	0.34	1.06	1.87	0.08	5.2
H-0711-0008	3/8"	0.43	1.12	2	0.11	10.1
H-0711-0010	7/16"	0.47	1.25	2.38	0.12	15
H-0711-0012	1/2"	0.56	1.5	2.5	0.15	22.6
H-0711-0014	9/16"	0.59	1.5	2.5	0.15	23
H-0711-0016	5/8"	0.68	1.75	3	0.18	33.8
H-0711-0019	3/4"	0.81	2	3.75	0.22	80
H-0711-0022	7/8"	0.93	2.25	4	0.22	105
H-0711-0025	1"	1.12	2.5	4.37	0.25	134

Snap Hook 弹簧钩

AISI 304/316 STAINLESS STEEL CAST SNAP HOOK



Code	Size(mm)
H-1114-0050	50
H-1114-0070	70
H-1114-0100	100

SNAP SHACKLE FOR SHEET



Code	Length mm	Working Load kg
H1870	120	1400
H1872	145	1980

SNAP SHACKLE FOR SHEET



Code	Length mm	Working Load kg
H1876	85	1500
H1878	105	2500
H1879	127	3500

SNAP SHACKLE FOR SHEET



Code	Size
H1885	1/4"
H1886	5/16"
H1887	3/8"

AUTOMATIC SNAP HOOKS FOR WATER SKING



Code	Length mm
H1910	59

SWIVEL SNAP SHACKLES



Code	Length mm
H1889	52
H1890	66
H1891	96

SWIVEL BOLT SNAP



Code	Size
H15531	14.5mm
H15532	21mm
H15533	23mm
H15534	28mm

SWIVEL BOLT SNAP



Code	Size
H15521	11mm
H15522	13mm
H15523	16mm
H15524	19mm
H15525	25mm

SNAP HOOKS



Code	Wire mm	Length mm
H15551	6	60
H15552	8	80
H15553	10	100
H15554	12	120

QUICK LINK



Code	Size	Code	Size
H16651	3.5mm	H16656	8mm
H16652	4mm	H16657	9mm
H16653	5mm	H16658	10mm
H16654	6mm	H16659	11mm
H16655	7mm	H16660	12mm

SNAP HOOKS



Code	mm	Code	mm
H00104	4x40	H00109	9x90
H00105	5x50	H00110	10x100
H00106	6x60	H00111	11x120
H00107	7x70	H00112	12x140
H00108	8x80	H00113	13x160

SNAP HOOKS WITH EYE




Code	mm	Code	mm
H00204	4x40	H00204	9x90
H00205	5x50	H00205	10x100
H00206	6x60	H00206	11x120
H00207	7x70	H00207	12x140
H00208	8x80	H00208	13x160



World Made Limited

AISI 304/316 STAINLESS STEEL FIXED SNAP SHACKLE



Code	Sizeinch	Ainch	Binch	Cinch	WLL(lbs)
H-1115-0002	2"	2"	0.42"	0.56"	1000
H-1115-0258	2-5/8"	2-5/8"	0.51"	0.75"	1500
H-1115-0334	3-3/4"	3-3/4"	0.68"	1.10"	2000

AISI 304/316 STAINLESS STEEL JAW SWIVEL SNAP SHACKLE



Code	Sizeinch	Ainch	Binch	Cinch	WLL(lbs)
H-1116-0234	2-3/4"	2-3/4"	0.57"	0.54"	1000
H-1116-0312	3-1/2"	3-1/2"	0.75"	0.52"	1500
H-1116-0500	5"	5"	1.05"	0.75"	2000

AISI 304/316 STAINLESS STEEL EYE SWIVEL SNAP SHACKLE



Code	Sizeinch	Ainch	Binch	Cinch	WLL(lbs)
H-1117-0234	2-3/4"	2-3/4"	0.50"	0.57"	1000
H-1117-0312	3-1/2"	3-1/2"	0.62"	0.75"	1500
H-1117-0500	5"	5"	0.85"	1.05"	2000


Eye Plate 眼盘

AISI 304/316 STAINLESS STEEL EYE PLATE




Code	D(mm)	L1(mm)	L2(mm)	H(mm)	h(mm)	d(mm)
H60104	4	40	32	16	11	3.2
H60105	5	50	40	16	13	4.2
H60106	6	57	44	22	15	5.2
H60108	8	63	47	25	17	5.2

AISI 304/316 STAINLESS STEEL SQUARE EYE PLATE



Code	Size(mm)	A(mm)	B(mm)	L(mm)	d(mm)
TFR-1002-0005	5	14	30	35	5
H-1002-0006	6	18	35	40	6
H-1002-0008	8	20	40	50	8

AISI 304/316 STAINLESS STEEL SQUARE EYE PLATE WITH RING




Code	Size(mm)	A(mm)	B(mm)	L(mm)	d(mm)	D(mm)	Ø(mm)
H-1003-0005	5	14	30	35	5	5	30
H-1003-0006	6	18	35	40	6	6	35
H-1003-0008	8	20	40	50	8	8	45

AISI 304/316 STAINLESS STEEL ROUND EYE PLATE



Code	Size(mm)	A(mm)	B(mm)	d(mm)
H-1004-0005	5	12	33	5
H-1004-0006	6	17	40	6
H-1004-0008	8	20	50	8

AISI 304/316 STAINLESS STEEL ROUND EYE PLATE WITH RING



Code	Size(mm)	A(mm)	B(mm)	d(mm)	D(mm)	Ø(mm)
H-1005-0005	5	12	33	5	5	30
H-1005-0006	6	17	40	6	6	40
H-1005-0008	8	20	50	8	8	50

AISI 304/316 STAINLESS STEEL OBLONG EYE PLATE



Code	Size(mm)	A(mm)	B(mm)	L(mm)	d(mm)
H-1006-0005	5	16	15	54	5
H-1006-0006	6	19	20	65	6
H-1006-0008	8	25	26	81	8
H-1006-0009	9	32	32	100	9

AISI 304/316 STAINLESS STEEL OBLONG EYE PLATE WITH RING



Code	Size(mm)	A(mm)	B(mm)	L(mm)	d(mm)	D(mm)	Ø(mm)
H-1007-0005	5	16	15	54	5	5	30
H-1007-0006	6	19	20	65	6	6	40
H-1007-0008	8	25	26	81	8	8	50
H-1007-0009	9	32	32	100	9	9	60

AISI 304/316 STAINLESS STEEL DIAMOND EYE PLATE



Code	Size(mm)
H-1008-0005	5
H-1008-0006	6
H-1008-0008	8

AISI 304/316 STAINLESS STEEL DIAMOND EYE PLATE WITH RING



Code	Size(mm)
H-1009-0005	5
H-1009-0006	6
H-1009-0008	8

AISI 304/316 STAINLESS STEEL HOOK PLATE



Code	Size(mm)
H-1010-0005	5
H-1010-0006	6
H-1010-0008	8

Ring 不锈钢环

AISI 304/316 STAINLESS STEEL ROUND RING



Code	Size(mm)	Code	B(mm)
H-1011-0325	3x25	TFR-1011-0640	6x40
H-1011-0425	4x25	TFR-1011-0650	6x50
H-1011-0430	4x30	TFR-1011-0660	6x60
H-1011-0440	4x40	TFR-1011-0735	7x35
H-1011-0530	5x30	TFR-1011-0840	8x40
H-1011-0540	5x40	TFR-1011-0850	8x50
H-1011-0550	5x50	TFR-1011-1050	10x50
H-1011-0630	6x30	TFR-1011-1070	10x70

AISI 304/316 STAINLESS STEEL ROUND RING WITH CROSS BAR



Code	Size(mm)	Code	B(mm)
H-1012-0630	6x30	TFR-1012-1060	10x60
H-1012-0640	6x40	TFR-1012-1070	10x70
H-1012-0840	8x40	TFR-1012-1080	10x80
H-1012-0850	8x50	TFR-1012-1250	12x50
H-1012-0960	9x60	TFR-1012-1265	12x65
H-1012-1050	10x50	TFR-1012-1280	12x80

AISI 304/316 STAINLESS STEEL D RING



Code	Size(mm)
H-1013-0425	4x25
H-1013-0430	4x30
H-1013-0440	4x40
H-1013-0540	5x40
H-1013-0550	5x50
H-1013-0640	6x40
H-1013-0650	6x50
H-1013-0660	6x60
H-1013-0745	7x45
H-1013-0840	8x40
H-1013-0850	8x50



World Made Limited

AISI 304/316 STAINLESS STEEL D RING WITH CROSS BAR



Code	Size(mm)
H-1014-0545	5x45
H-1014-0550	5x50
H-1014-0645	6x45
H-1014-0650	6x50
H-1014-0845	8x45
H-1014-0850	8x50

AISI 304/316 STAINLESS STEEL DELTA RING



Code	Size(mm)
H-1015-0540	5x40
H-1015-0650	6x50
H-1015-0850	8x50

AISI 304/316 STAINLESS STEEL TRIANGLE RING WITH CROSS BAR



Code	Size(mm)
H-1016-0545	5x45
H-1016-0550	5x50
H-1016-0645	6x45
H-1016-0650	6x50
H-1016-0845	8x45
H-1016-0850	8x50
H-1016-0860	8x60


AISI 304/316 STAINLESS STEEL SQUARE RING



Code	Size(mm)	Inside length	Inside Width
H-1017-0520	5	20mm	12mm
H-1017-0525	5	25mm	15mm
H-1017-0530	5	30mm	18mm
H-1017-0540	5	40mm	20mm
H-1017-0650	6	50mm	25mm
H-1017-0747	7	47mm	38mm
H-1017-0865	8	65mm	30mm


"U" Bolts U型栓

AISI 304/316 STAINLESS STEEL "U" BOLTS




Code	SizeM	A mm	D mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0601-04062	M4	30	5	30	62	3.5	750
H-0601-05078	M5	36	6	48	78	4.8	900
H-0601-06090	M6	36	8	42	80	7.4	1250
H-0601-06090	M6	36	8	42	90	8.2	1250
H-0601-08090	M8	35	10	40	80	11	1750
H-0601-08100	M8	45	10	52	100	13	1750
H-0601-10090	M10	50	12	35	90	20	3500
H-0601-10110	M10	50	12	55	110	22	3500
H-0601-10135	M10	50	12	80	135	24	3500
H-0601-12130	M12	60	14	65	130	36	5100
H-0601-12150	M12	60	14	85	150	38	5100

AISI 304/316 STAINLESS STEEL "U" BOLTS WITH SECURITY PROTECTION




Code	SizeM	A mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0602-04064	M4	30	30	64	2.3	750
H-0602-05080	M5	35	40	80	3.3	900
H-0602-06080	M6	35	40	80	5	1250
H-0602-06090	M6	35	40	90	5.5	1250
H-0602-08060	M8	35	25	60	7	1750
H-0602-08070	M8	35	35	70	7.5	1750
H-0602-08080	M8	35	40	80	8	1750
H-0602-08090	M8	35	50	90	9	1750
H-0602-08100	M8	35	50	100	10	1750
H-0602-08110	M8	35	70	110	11	1750
H-0602-10090	M10	50	40	90	15	3500
H-0602-10130	M10	50	55	130	21	3500
H-0602-12150	M12	60	65	150	35	5100

AISI 304/316 STAINLESS STEEL SECURITY "U" BOLTS




Code	Size M	A mm	D mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0603-08100	M8	40	10	60	100	15	1750
H-0603-10100	M10	40	12	48	100	22	3500
H-0603-12120	M12	50	14	58	120	38	5100

AISI 304/316 STAINLESS STEEL "U" BOLTS WITH STRONG WASHER



Code	SizeM	A mm	D mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0604-08100	M8	48	22	105	150	20	1750
H-0604-10100	M10	60	30	140	200	28	3500


AISI 304/316 STAINLESS STEEL V BOLT



Code	Gmm	L1 mm	L2 mm	L3 mm	L4 mm	Angle	B mm	D mm
H-0605-A8100	M8	100	50	40	45	0	33	8
H-0605-B8100	M8	100	50	40	45	8	33	8
H-0605-C8100	M8	100	50	40	45	18	33	8
H-0605-A10120	M10	120	60	48	55	0	40	10
H-0605-B10120	M10	120	60	48	55	8	40	10
H-0605-C10120	M10	120	60	48	55	18	40	10


Eye Nut & Bolt 吊环螺母和螺栓

AISI 316 STAINLESS STEEL DIN580 EYE BOLT



Code	Size(mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
H-0606-0006	6	6	28	16	13	13
H-0606-0008	8	8	36	20	20	13
H-0606-0010	10	10	45	25	25	17
H-0606-0012	12	12	53	30	30	21
H-0606-0016	16	16	62	35	35	27
H-0606-0020	20	20	71	40	40	30
H-0606-0024	24	24	90	50	50	36
H-0606-0030	30	30	109	60	65	45

AISI 304/316 STAINLESS STEEL DIN582 EYE NUT



Code	Size(mm)	A (mm)	B (mm)	C (mm)	D (mm)
H-0607-0006	6	6	28	16	13
H-0607-0008	8	8	36	20	20
H-0607-0010	10	10	45	25	25
H-0607-0012	12	12	53	30	30
H-0607-0016	16	16	62	35	35
H-0607-0020	20	20	71	40	40
H-0607-0024	24	24	90	50	50
H-0607-0030	30	30	109	60	65

AISI 304/316 STAINLESS STEEL JIS1168 EYE BOLT



Code	Size(mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
H-0608-0006	6	6	30	16	13	13
H-0608-0008	8	8	39.3	20	16	13
H-0608-0010	10	10	48.5	25	20	17
H-0608-0012	12	12	61	30	25	21
H-0608-0016	16	16	72	35	30	27
H-0608-0020	20	20	86	40	35	30
H-0608-0024	24	24	111	50	45	36