

High Fashion eBikes



Portable Design Folding Fat tire eBike TDN09Z

Based on 100pcs, FOB Shanghai

Optional

- SAMSUNG 36V13Ah Lithium, plus.....*
- NUTT Hydraulic Disc brakes, plus.....*
- NEXUS Magnesium alloy wheels, plus.....*
- F&R Long Fenders, plus.....*
- Rear Carrier, plus.....*



Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	YASANMOTOR Rigid Aluminum Alloy Suspension fork
Tires	INNOVA SLIDE 20*4.25" FAT TIRE
Motor	NEXUS 350W HUB MOTOR with spoke wheel defaultly, 2-Year warranty
Battery	SAMSUNG 36V10.4Ah Lithium, Hidden in alloy Seatpost
Charger	KEYU , A/C input 110 ~ 240v, D/C output 42 V 2.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	DMHC LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6/7 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	25-28km/h
Range	60 km with PAS, 30km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	23kg , Max. Rider weight 120kg within Manufacturers' warranty



High Fashion eBikes

Gross Weight 27kg , with 7-layer carton packing, 1 pcs/ctn
 Packing Size 145*32*65 CM
 Conveyance 97pcs = 20'Fcl, 229pcs = 40'HQ



2021 New Patent 15.7kg only Carbon eBike CEB-010A

Based on 100pcs, FOB Shanghai.....

Optional **F&R Fenders, plus.....**
Front headlight, plus.....
Rear Carrier, plus.....

Frame	YASAN MOTOR , Super Light Carbon Fiber, Foldable design
Front Fork	Rigid Carbon Fiber
Tires	KENDA 20" X 1.95", city tire with reflective line
Motor	AKM 36V 300W Lightweight Rear Brushless Hub Motor
Battery	SAMSUNG 36V 7Ah Lithium-ion Battery, Hidden in Carbon seat-post
Charger	KEYU , A/C input 110 ~ 240v, D/C output 42 V 2.0 A
Controller	LISHUI 36V14A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER , Speed Sensor PAS 1:1
Display console	DMHC LCD Display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off

Max. speed	32km/h
Range Chain	40km with PAS, 20km by pure throttle power.
Net Weight	KMC Rust-resistant, Double Protector Chain Cover
Gross Weight	15.7 KG Only, Max. Rider weight 120kg within Manufacturers' warranty
Packing Size	17.5 KG
Conveyance	89*38*63 cm
	136pcs = 20'Fcl, 342 pcs = 40'HQ



Luxury 20inch Lady Fat eBike TDN02Z-FAT

Based on 100pcs, FOB Shanghai

<i>Optional</i>	<i>48v 17.5Ah Samsung Lithium battery, plus.....</i>
	<i>48v 21Ah Samsung Lithium battery, plus.....</i>
	<i>750w Motor & 48V30A controller, plus.....</i>
	<i>NUTT Hydraulic Disc brakes, plus.....</i>
	<i>Rear Carrier, plus....</i>

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO Hydraulic Aluminum Alloy Suspension fork
Tires	KENDA 20*4.0" FAT TIRE
Motor	BAFANG 500W HUB MOTOR, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 2.5 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller

Controller	with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38 km/h
Range	70 km with PAS, 35km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	35 kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	40 kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	145*26*98 CM
Conveyance	76 pcs = 20'Fcl, 173 pcs = 40'HQ



Battery Hidden 20inch Fat eBike TDN03Z-FAT

Based on 100pcs, FOB Shanghai.....

Optional

- NUTT Hydraulic Disc brakes, plus.....*
- BAFANG Magnisium alloy wheels, plus.....*
- F&R Long Fenders, plus.....*
- Rear Carrier, plus.....*

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO Hydraulic Aluminum Alloy Suspension fork
Tires	KENDA 20*4.0" Fat Tire
Motor	BAFANG 500W HUB MOTOR Spoke wheels, 2-Year warranty

Battery	SAMSUNG 48V13Ah Lithium, hidden in framework body, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6V 2.5 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38km/h
Range	70km with PAS, 35km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	30kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	35kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	142 *30 * 65 CM
Conveyance	106 pcs = 20'Fcl, 258 pcs = 40'HQ



Classic Design Lady Fat eBike TDN05Z-FAT

Based on 100pcs, FOB Shanghai.....

48v 17.5Ah Samsung Lithium battery, plus

48v 21Ah Samsung Lithium battery, plus.....

Optional 750w Motor & 48V30A controller, plus.....

NUTT Hydraulic Disc brakes, plus.....

Rear Carrier, plus.....

Front Fork	MOZO Hydraulic Aluminum Alloy Suspension fork
Tires	KENDA 20*4.0" FAT TIRE
Motor	BAFANG 500W HUB MOTOR, Magnisium alloy wheels, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6V 2.5 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38km/h
Range	70km with PAS, 35km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	29kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	34kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	142 *30 * 65 CM
Conveyance	106 pcs = 20'Fcl, 258 pcs = 40'HQ



Classic Design Lady Fat eBike TDN07Z-FAT

Based on 100pcs, FOB Shanghai.....

NUTT Hydraulic Disc brakes, plus.....

Optional
BAFANG Magnisium alloy wheels, plus.....
F&R Long Fenders, plus.....
Rear Carrier, plus.....

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO Hydraulic Aluminum Alloy Suspension fork
Tires	KENDA 20*4.0" Fat Tire
Motor	BAFANG 750W HUB MOTOR, Magnisium wheels, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38km/h
Range	70km with PAS, 35km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	30kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	35kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	142 *30 * 65 CM
Conveyance	106 pcs = 20'Fcl, 258 pcs = 40'HQ



26inch Fat eBike MEB-025

Based on 100pcs, FOB Shanghai.....

Optional

- 750w Motor, plus.....*
- NUTT Hydraulic Disc brakes, plus.....*
- F&R Fenders, plus.....*
- RS luxury saddle, plus.....*
- Rear Carrier, plus.....*

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO Hydraulic Aluminum Alloy Suspension fork
Tires	KENDA 26*4.0" FAT TIRE
Motor	BAFANG 500W HUB MOTOR, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	32km/h
Range	40km with PAS, 20km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	40 kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	45 kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	151 * 30 * 78 CM
Conveyance	81 pcs = 20'Fcl, 197 pcs = 40'HQ



Lady 26inch Mountain Fat eBike MEB-022

Based on 100pcs, FOB Shanghai

Optional 48v17.5Ah **SAMSUNG** Lithium battery, 90km, plus.....
Optional **NUTT** Hydraulic Disc brakes, plus.....
Optional 750w **BAFANG** Motor & 48V30A controller, plus.....
Optional **RS** luxury saddle, plus.....
Optional Rear Carrier, plus.....

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO rigid Aluminum Alloy fork
Tires	KENDA 26*4.0" FAT TIRE
Motor	BAFANG 500W HUB MOTOR, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38 km/h
Range	70 km with PAS, 35km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	40 kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	45 kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	151 * 30 * 78 CM
Conveyance	81 pcs = 20'Fcl, 197 pcs = 40'HQ



2020 HOT SALES 26inch Fat eBike Super 73

Based on 100pcs, FOB Shanghai.....

Optional

- 750w Motor, plus.....*
- 48v 17.5Ah Samsung Lithium battery, plus.....*
- NUTT Hydraulic Disc brakes, plus.....*
- Hydraulic suspension heavy duty front fork, plus.....*
- Rear hydraulic shock absorbers, plus.....*
- Dual Bafang motor Spoke wheel 500w x 2 drive, plus.....*

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	YASAN MOTOR Heavy duty Aluminum Alloy Suspension fork
Tires	KENDA 20*4.0" FAT TIRE
Motor	BAFANG 500W HUB MOTOR, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	Bluepot C961 LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38-45km/h
Range	60km with PAS, 30km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	35 kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	40 kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	145*25*88 cm
Conveyance	88 pcs = 20'Fcl, 219 pcs = 40'HQ



26inch Fat eBike Super 73F

Based on 100pcs, FOB Shanghai.....

Optional

750w Motor, plus.....

48v 17.5Ah Samsung Lithium battery, plus.....

NUTT Hydraulic Disc brakes, plus.....

Hydraulic suspension front fork, plus.....

Rear Carrier, plus.....

Other upgrading if need, welcome to confirm with us.

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	YASAN MOTOR Heavy duty Aluminum Alloy Suspension fork
Tires	KENDA 20*4.0" FAT TIRE
Motor	BAFANG 500W HUB MOTOR, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	Bluepot C961 LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38-45km/h
Range	60km with PAS, 30km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	35 kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	40 kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	145*25*88 cm
Conveyance	88 pcs = 20'Fcl, 219 pcs = 40'HQ



2021 New Fashion 26inch Fat eBike Super R2

Based on 100pcs, FOB Shanghai.....

Optional **48v 17.5Ah Samsung Lithium battery, plus.....**
NUTT Hydraulic Disc brakes, plus.....
Upgraded into Bafang 750w motor & 30A controller, plus.....
Dual Bafang motor Spoke wheel, 500w x 2 drive, plus.....
Dual Bafang motor Spoke wheel 750w x 2 drive, plus.....

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	YASAN MOTOR Rigid heavy duty alloy fork
Tires	KENDA 20*4.0" FAT TIRE
Motor	XOFO/KXD 500W HUB MOTOR, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW SW900 LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38 km/h
Range	70 km with PAS, 35km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover





Net Weight	40kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	45kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	148*32*88 cm
Conveyance	64 pcs = 20'Fcl, 168 pcs = 40'HQ

2021 New Fashion 26inch Fat eBike Super R2 Luxury

Based on 100pcs, FOB Shanghai.....

- Optional*
- BAFANG Brand 750w Motor, plus.....*
 - NUTT Hydraulic Disc brakes, plus.....*
 - Rear Carrier, plus.....*
 - Dual Bafang motor Spoke wheel, 500w x 2 drive, plus.....*
 - Dual Bafang motor Spoke wheel 750w x 2 drive, plus.....*

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO Heavy Duty Hydraulic Aluminum Alloy Suspension fork
Tires	KENDA 20*4.0" FAT TIRE
Motor	XOFO 750W Integrated magnisum wheel hub motor, 2-Year warranty
Battery	SAMSUNG 48V17.5Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW SW900 LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35



Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38-45km/h
Range	70km with PAS, 35km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	40kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	45kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	148*32*88 cm
Conveyance	64 pcs = 20'Fcl, 168 pcs = 40'HQ



350W Mid Drive MEB-017 PEAK

Based on 100pcs, FOB Shanghai.....

<i>Optional</i>	<i>48v17.5Ah SAMSUNG Lithium battery, 90km, plus.....</i>
	<i>NUTT Hydraulic Disc brakes, plus.....</i>
	<i>BAFANG G510 750w/1000W mid drive, plus.....</i>
	<i>RS luxury saddle, plus.....</i>
	<i>Rear Carrier, plus.....</i>

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	SR SANTOUR Suspension Aluminum Alloy fork
Tires	MAXXIS 700C*45C TIRE
Motor	BAFANG MAX G330 350W Mid Drive Motor, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller



High Fashion eBikes

PG:15/21

Controller	with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	Torque Sensor
Display console	BAFANG C-17 LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	25-32km/h
Range	100KM
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	27kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	32kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	146*25*77 cm
Conveyance	90 pcs = 20'Fcl, 240 pcs = 40'HQ



350W Mid Drive 26inch Fat eBike MEB-017B PEAK S

Based on 100pcs, FOB Shanghai.....

48v17.5Ah SAMSUNG Lithium battery, 90km, plus.....

NUTT Hydraulic Disc brakes, plus.....

Optional BAFANG G510 750w/1000W mid drive, plus.....

RS luxury saddle, plus.....

Rear Carrier, plus.....

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	SR SANTOUR Suspension Aluminum Alloy fork & EXA A5 Rear Air-suspension
Tires	MAXXIS 700C * 45C TIRE

Motor	BAFANG MAX G330 350W Mid Drive Motor, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	Torque Sensor
Display console	BAFANG C-17 LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	25-32km/h
Range	100km
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	29kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	34kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	146*25*77 cm
Conveyance	90 pcs = 20'Fcl, 240 pcs = 40'HQ



350W Mid Drive 26inch Fat eBike MEB-028

Based on 100pcs, FOB Shanghai.....

48v17.5Ah SAMSUNG Lithium battery, 90km, plus.....

NUTT Hydraulic Disc brakes, plus.....

Optional BAFANG G510 750w/1000W mid drive, plus.....

RS luxury saddle, plus.....

Rear Carrier, plus.....

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO rigid Aluminum Alloy fork
Tires	KENDA 26*4.0" FAT TIRE
Motor	BAFANG MAX G330 350W Mid Drive Motor , 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	32km/h
Range	40km with PAS, 20km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	40kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	45kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	148*35*70 cm
Conveyance	60 pcs = 20'Fcl, 120 pcs = 40'HQ



1000w Mid Drive 26inch Fat eBike MEB-028

Based on 100pcs, FOB Shanghai

RST Air suspension fork with bounce adjustment, plus.....

Mid Air shock absorber suspension, plus.....

NUTT Hydraulic Disc brakes, plus.....

RS luxury saddle, plus.....

F&R Fenders, plus.....

Rear Carrier, plus.....

Frame	#6061 Aluminium alloy, 18inch/19inch options, 3-year warranty
Front Fork	RST Suspension Aluminum Alloy fork with lock-out
Tires	KENDA 26*4.0" FAT TIRE
Motor	BAFANG SHD G510 1000W Mid drive motor, 2-Year warranty
Battery	SAMSUNG 48V17.5Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	Torque Sensor & Speed Sensor PAS 1:1
Display console	BAFANG C-18 Colorful LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	55 km/h
Range	100 km
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	40kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	45kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	185*30*85 CM
Conveyance	56pcs = 20'GP, 135pcs = 40'HQ



200KM Long Range Delivery eBike MEB-020C

Based on 100pcs, FOB Shanghai.....

front baske & Rear Basket are included as default parts.

48v17.5Ah SAMSUNG Lithium battery x 2 PCS , 200km, plus.....

Optional NUTT Hydraulic Disc brakes, plus....

750w BAFANG Motor & 48V30A controller, plus.....

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO rigid Aluminum Alloy fork
Tires	KENDA 20*4.0" FAT TIRE
Motor	BAFANG 500W HUB MOTOR, Magnisum alloy wheels, 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium x 2 pcs , easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	32km/h
Range	150km with PAS, 70km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	30kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	35kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	145*26*98 CM
Conveyance	76 pcs = 20'Fcl, 173 pcs = 40'HQ



24inch Trike eBike ET-007

Based on 100pcs, FOB Shanghai.....

Optional
48v17.5Ah SAMSUNG Lithium battery, 90km, plus.....
48v21Ah SAMSUNG Lithium battery, 120km, plus.....
750w BAFANG Motor & 48V30A controller, plus.....
Front basket & Water-proofed basket cover, plus.....
Rear wheel fenders , plus.....

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO Hydraulic Aluminum Alloy Suspension fork
Tires	KENDA , Front 24*4.0 & Rear 20*4.0
Motor	BAFANG 500W HUB MOTOR , 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	38-45km/h
Range	40km with PAS, 20km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	40kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	45kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	147*76*75 cm
Conveyance	36 pcs = 20'Fcl, 72 pcs = 40'HQ



24inch Trike eBike ET-009

Based on 100pcs, FOB Shanghai.....

Optional
48v17.5Ah SAMSUNG Lithium battery, 90km, plus.....
48v21Ah SAMSUNG Lithium battery, 120km, plus.....
750w BAFANG Motor & 48V30A controller, plus.....
Water-proofed basket cover, plus.....
Front basket, plus.....

Frame	#6061 Aluminium alloy, 3-year warranty
Front Fork	MOZO Hydraulic Aluminum Alloy Suspension fork
Tires	KENDA , Front 24*4.0 & Rear 20*4.0
Motor	BAFANG 500W HUB MOTOR , 2-Year warranty
Battery	SAMSUNG 48V13Ah Lithium, under basket chassis, easy removable
Charger	KEYU , A/C input 110 ~ 240v, D/C output 54.6 V 3.0 A
Controller	LISHUI 48V25A Intelligent SineWave Silent Controller with Short-circuit/ Low-voltage/Over-load protection
PAS Mode	K-METER Speed Sensor PAS 1:1
Display console	NSW 830S LCD display, with 5 level PAS adjustment
Gears & Derailleur	SHIMANO Tourney 6 Gears, RD-TX35
Brakes	JAK Mechanic Disc /Disc brakes, with electric cut off
Max. speed	32km/h
Range	40km with PAS, 20km by pure throttle power.
Chain	KMC Rust-resistant, Double Protector Chain Cover
Net Weight	40kg , Max. Rider weight 120kg within Manufacturers' warranty
Gross Weight	45kg , with 7-layer carton packing, 1 pcs/ctn
Packing Size	116 * 76* 83 CM
Conveyance	30 pcs = 20'Fcl, 90 pcs = 40'HQ

