

## 21V LITHUM-ION BRUSHLESS CORDLESS CHAINSAW7"

#### **FEATURE**

- Compact top handle design ideal for pruning, trimming and limbing
- Build-In Brushless motor delivers max 600W power
- Rubberized soft grip for long term operation
- Front hand guard engineered to actuate chain brake when engaged
- Weighs only 6lbs (With Battery) for operator comfort
- Conform to MAKITA BL18 series and third party battery

## **SPECIFICATION**

Voltage: 21V max Li-ion No-load Speed: 4m/s Cutting length: 180mm (7") Cut wood Dia.: 40mm

## ATTACHMENT PACKAGE

Battery PAPERBOX Charger Chain Guard (3.0Ah battery set)



## **MODEL 8702**

## 21VLTHUM-IONERUSHLESS CORDLESS CIRCULAR SAW7-1/2"

#### **FEATURE**

- Compact and ergonomic blade-right design
- Build-In Brushless motor delivers max 400W power and 5.000 RPM
- Large cutting capacity (2-1/4" at 90°) and bevel capacity (0°-45°)
- Safety trigger design to prevent miss operation
- Electric brake for maximum productivity
- Conform to MAKITA BL18 series and third party battery
- Bright LED work light to help illuminate dark areas

#### **SPECIFICATION**

Voltage: 21V max Li-ion No-load Speed: 5,000 Rpm Arbor: 5/8"Blade Diameter: 6-1/2" Bevel Capacity: 0-45 Degrees° Capacity: 55mm (2-1/4") at 90° 41mm (1-5/8") at 45°

## ATTACHMENT PACKAGE

Spanner PAPERBOX Battery

Charger

Blade (Optional) (3.0Ah battery set )



## **MODEL 8403**

## 21VLTHUM-IONERUS-LESS CORDLESS ANGLE CRINDER 4" - 4-1/4"

#### **FEATURE**

- Electric Brake stops the grinding or cut-off wheel in 2 seconds for maximum productivity
- Build-In Brushless motor delivers max 600W power and 7,500 RPM (4,500 /6,000/7,500 rpm 3 speed)
- Soft start suppresses start-up reaction for smooth start-ups and longer gear life
- Rubberized soft grip for shock absorb
- Lock-on trigger design for special application
- Weighs only 4.1lbs (With Battery) for operator comfort
- Conform to MAKITA BL18 series and third party battery
- 10mm(3/8")/14mm(5/8") shaft available for 4"-4-1/4" disk
- Build-in power level LED to show the fuel status

#### **SPECIFICATION**

Voltage: 21V max Li-ion

No-load Speed: 7,500 /6,000 / 4,500 Rpm Shaft Dia.: 10mm (3/8") or 14mm (5/8") Disk Dia: 100mm (4") or 115mm (4-1/2")

\* Please select 3.0/4.0/6.0 battery for this tool

ATTACHMENT	PACKAGE
Disk Guard	BMC
Side handle	PAPERBOX
Spanner	TOOL BAG
Battery	
Charger	(3.0Ah battery set)



## **MODEL 8602**

## 21V LITHUM-ION CORDLESS PEX EXPANSION TOOL 5/8" — 1-1/4"

#### **FEATURE**

- Expands PEX-A Tubing from 5/8" to 1-1/4"
- Automatic rotating head action for even expansion
- Compatible with Dewalt ®PEX Head, Milwaukee® and Uponor ® Heads.
- Bright LED work light to help illuminate dark areas
- Rubberized soft grip for comfortable work
- Weighs only 4.1lbs (With Battery) for operator comfort
- Available to invest socket for third party battery
- Full-metal Gear and cast frame for work durability

### **SPECIFICATION**

Voltage: 21V max Li-ion

Speed: 32 SPM Stroke length: 25mm

Capacity: 16mm (5/8") or 32mm (1-1/4")

## ATTACHMENT PACKAGE

Expander Grease BMC

Expand kits (4pcs optional)

Battery

Charger

(3.0Ah battery set)





L2IVLITHUMHONERUSHLESS CORDLESS DRIL/DRIVR (3/8")

#### **FEATURE**

- Compact size (5-1/2") with Brushless motor delivers max torque up to 50Nm
- 2 Speed mechanical setting and 3 Speed electronic Setting which is conform to variety of application
- Soft start suppresses start-up reaction in 1 Seconds for smooth start-ups and longer gear life
- Electric brake and Shaft lock for maximum productivity
- Special Texture Grip Handle to provide extra comfortable handle in working
- Conform to MAKITA BL18 series and third party battery
- 10 Seconds delay shutoff work LED
- 10mm (3/8") keyless chuck with 20+1 torque setting

#### **SPECIFICATION**

Voltage: 21V max Li-ion

No-load Speed: 0-400/1,550 Rpm (Mechanical)

Rated Torque: 50Nm Shaft size: 10mm keyless

ATTACHMENT PACKAGE

Belt Clip(Optional) BMC
Battery PAPERBOX
Charger TOOL BAG

(2.0Ah battery set) (Additional battery)



## **MODEL 8130**

21VLTHUM-IONERUSHLESS CORDLESS HAMMER DRILL/DRIVR (3/8")

#### **FEATURE**

- Compact size (6") hammer drill/drive with Brushless motor delivers max torque up to 50Nm
- 2 Speed mechanical setting and 3 Speed electronic Setting which is conform to variety of application
- Soft start suppresses start-up reaction in 1 Seconds for smooth start-ups and longer gear life
- Electric brake and Shaft lock for maximum productivity
- Special Texture Grip Handle to provide extra comfortable handle in working
- Conform to MAKITA BL18 series and third party battery
- 10 Seconds delay shutoff work LED
- 10mm (3/8") keyless chuck with 20+3 torque setting

#### **SPECIFICATION**

Charger

Voltage: 21V max Li-ion

No-load Speed: 0-400/1,550 Rpm (Mechanical) Blowes/min: 0-12,500 BPM (Hammer action)

Rated Torque: 50Nm

Chuck type: 10mm keyless metal

ATTACHMENT PACKAGE

Belt Clip(Optional)
Battery PAPERBOX

(2.0Ah battery set) (Additional battery)

TOOL BAG



## **MODEL 8128**

21VLITHUM-IONCORDLESS DRILL/DRIVER(3/8")

#### **FEATURE**

- · Compact size design fits into tight areas
- High performance motor deliver torque up to 35NM
- Soft start suppresses start-up reaction in 1 Seconds for smooth start-ups and longer gear life
- Rubberized soft grip for shock absorb
- · 2-Speed setting with variable speed trigger
- Electric brake and Shaft lock for maximum productivity
- Conform to MAKITA BL18 series and third party battery
- 10mm (3/8") keyless chuck with 20+1 torque setting





## **MODEL 8126**

12V LITHUM-ION CORDLESS DRILL/DRIVER(3/8")

#### **FEATURE**

- Compact size design fits into tight areas
- High performance motor deliver torque up to 40NM
- Soft start suppresses start-up reaction in 1 Seconds for smooth start-ups and longer gear life
- Rubberized soft grip for shock absorb
- 2-Speed setting with variable speed trigger
- Electric brake and Shaft lock for maximum productivity
- Conform to MAKITA BL18 series and third party battery
- 0mm (3/8") keyless chuck with 20+1 torque setting

#### **SPECIFICATION**

Voltage: 21V max Li-ion

No-load Speed: 0-400/1,450 Rpm

Rated Torque: 35Nm Shaft size: 10mm keyless

ATTACHMENT PACKAGE

Belt Clip(Optional)
Battery
Charger

BMC
PAPERBOX
TOOL BAG

(1.5Ah battery set ) (Additional battery)

#### **SPECIFICATION**

Voltage: 12V max Li-ion

No-load Speed: 0-400/1,450 Rpm

Rated Torque: 35Nm Shaft size: 10mm keyless

ATTACHMENT PACKAGE

Belt Clip(Optional) BMC

Battery PAPERBOX Charger TOOL BAG

> (1.5Ah battery set) (Additional battery)



21VLTHUM-IONERUSHLESS CORDLESS IMPACT WRENCH1/2"

### **FEATURE**

- Compact size design fits into tight areas
- Build-In Brushless motor delivers max 300Nm torque in two speed setting (0-1,000 Rpm / 2,200 Rpm)
- Soft start suppresses start-up reaction in 1 Seconds for smooth start-ups and longer gear life
- Rubberized soft grip for shock absorb
- 2-Speed setting with variable speed trigger
- Anti-drip fuction provide to prevent fastener runoff
- Weighs only 3.1lbs (With Battery) for operator comfort
- Conform to MAKITA BL18 series and third party battery
- 1/2" shaft with hog ring anvil to change socket easily
- Build-in power level LED to show the fuel status

#### **SPECIFICATION**

Voltage: 21V max Li-ion

No-load Speed: 0-1,000/2,200 Rpm

Impacts/min: 0-2,800 IPM Rated Torque: 300Nm Shaft size: 1/2 " square

## ATTACHMENT PACKAGE

Impact socket (Optional) BMC
Battery PAPERBOX
Charger TOOL BAG

(2.0Ah battery set)
Additional battery)



## **MODEL 8207**

21VLTHUM-IONERUSHLESS CORDLESS IMPACT WRENCH/ DRIVER 1/4" AND 1/2"

#### **FEATURE**

- · Compact size design fits into tight areas
- Build-In Brushless motor delivers max 250Nm torque in two speed setting (0-1,000 Rpm / 2,200 Rpm)
- Soft start suppresses start-up reaction in 1 Seconds for smooth start-ups and longer gear life
- Rubberized soft grip for shock absorb
- 2-Speed setting with variable speed trigger
- Anti-drip fuction provide to prevent fastener runoff
- Weighs only 3.1lbs (With Battery) for operator comfort
- Conform to MAKITA BL18 series and third party battery
- Build-in power level LED to show the fuel status

#### **SPECIFICATION**

Voltage: 21V max Li-ion

No-load Speed: 0-1,000/2,200 Rpm

Impacts/min: 0-2,800 IPM Rated Torque: 250Nm

Shaft size: 1/4" Hex and 1/2" Square

## ATTACHMENT PACKAGE

Impact socket (Optional) BMC
Battery PAPERBOX
Charger TOOL BAG

(2.0Ah battery set)
(Additional battery)



## **MODEL 8209**

21VLITHUM-IONBRUSHLESS CORDLESS IMPACTWRENCH1 / 2" 500Nm

#### **FEATURE**

- 1/2 " Square shaft with 500Nm output
- Build-In Brushless motor delivers max 500Nm torque in two speed setting (0-900Rpm / 1,800 Rpm)
- Soft start suppresses start-up reaction in 1 Seconds for smooth start-ups and longer gear life
- Rubberized soft grip for shock absorb
- 2-Speed setting with variable speed trigger
- Anti-drip fuction provide to prevent fastener runoff
- Conform to MAKITA BL18 series and third party battery
- Build-in power level LED to show the fuel status

## **SPECIFICATION**

Voltage: 21V max Li-ion

No-load Speed: 0-900/1,800 Rpm

Impacts/min: 0-2,400 IPM Rated Torque: 500Nm Shaft size: 1/2" Square

## ATTACHMENT PACKAGE

Impact socket (Optional)BMCBatteryPAPERBOXChargerTOOL BAG

(2.0Ah battery set) (Additional battery)



(2.0Ah battery set)

## 21VLITHUM-IONCORDLESS BLOWER

#### **SPECIFICATION**

Voltage: 21V max Li-ion Rated Speed: 0-19,000 Rpm Air Speed: 0-180 KMH/ 115MPH Air Volume: 0-80 CFM / 2.5 Cbm/min Speed Adjustable: Variable Speed trigger

ATTACHMENT Battery / Charger / Nozzle / Dust bag / Extend Pipe (Optional)

PACKAGE Paper Box / Tool Bag

## **MODEL 8187 PRO**

## 21VLITHUM-ION CORDLESS BLOWER

3- SPEED SETTING WITH LOOK-ONTRIGGER



DADAO

## **SPECIFICATION**

Voltage: 21V max Li-ion Rated Speed: 0-21,000 Rpm Air Speed: 0-200 KMH/ 130MPH

Air Volume: 0-95 CFM / 2.8 Cbm/min Speed Adjustable: 3-Speed Electronic Switch + Variable Speed trigger

ATTACHMENT Battery / Charger / Nozzle / Dust bag / Extend Pipe (Optional)

PACKAGE Paper Box / Tool Bag

(2.0Ah battery set)

## MODEL 8189 21VI ITHUM-IONI FAF BLOWER



#### **SPECIFICATION**

Voltage: 21V max Li-ion Rated Speed: 0-18,000 Rpm Air Speed: 0-200 KMH/ 120MPH

Air Volume: 0-270 CFM

Speed Adjustable: Two Speed + Lock on trigger

ATTACHMENT Battery / Charger / Nozzle / Extend Pipe

PACKAGE Paper Box

(2.0Ah battery set)



## 21VLITHUM-IONELECTRIC CALLKING GUN200Z KIT

#### **SPECIFICATION**

Voltage: 21V max Li-ion Dispensing force: 6500N Dispensing speed: 0-9.6 mm/s

Support material: 600ml (200Z) sausage

ATTACHMENT Battery / Charger / Nozzle / Spanner / plunger

PACKAGE Paper Box /BMC

(2.0Ah battery set)



## 21VLTHUM-IONELECTRIC CALLKING GUN100Z KIT

## **SPECIFICATION**

Voltage: 21V max Li-ion Dispensing force: 6500N Dispensing speed: 0-9.6 mm/s

Support material: 300ml (10OZ) Cartridge

ATTACHMENT Battery / Charger / Spanner / plunger

PACKAGE Paper Box /BMC

(2.0Ah battery set)



# MODEL 9101 21VLITHUM-IONGLASSTRIMMER





GLASSTRIMMER & BLOWER SET

(2.0Ah battery set)